

PERGO®

VINYL PLANKS & TILES
COLLECTIONS 2023-2024

FOR PARTNERS & PROFESSIONALS





FLOORS FOR REAL LIFE

At Pergo we build strikingly beautiful, extremely hard-wearing floors. No shortcuts, no compromises, just the best in Scandinavian function, design and engineering. We invented laminate flooring and in fact, we've been innovating floors that have gone from strength to strength since the 1970's. Floors that are easy to install

and maintain. And with one of the widest ranges around in wood, vinyl and laminate, you're sure to find the perfect one for you.

Come in and look around.

OUR AMBITIOUS CLIMATE TARGETS FOR 2030 ARE VALIDATED BY THE SCIENCE BASED TARGETS INITIATIVE.

DURABLE. NATURALLY.

We produce flooring as sustainable as possible, constantly innovating to minimize the potential impact on our planet. Therefore, we (Unilin Group) have linked ourselves to the Science Based Targets Initiative*. Our set and verified climate targets for 2030 put us firmly on the path to help limit global warming to 1.5°C, as outlined by the Paris Agreement.

GREEN ENERGY PRODUCTION

Unilin, the group behind Pergo, has invested in green energy for many years. Today we are operating at 60% renewable energy thanks to windmills, solar panels and even two co-owned biomass plants.

VINYL COMPONENTS

A Pergo vinyl floor consist of ±40% chalk, a material abundantly available in nature, ±25% internally recycled PVC generated from our own production waste, ±25% new PVC, made from chlorine (common salt) and ethylene (crude oil) and additives/plasticizers.

ORTOPHTHALATE-FREE

Additives in our vinyl flooring contain no harmful substances and are 100% ortophthalate-free. The only type of plasticizers we use are the same used in kid's toys and food storage purposes, which means they are completely safe.

We produce flooring in-house so we know exactly which materials they contain and we can control emissions of harmful substances. VOC emissions of our vinyl floors are lower than the European norm, resulting in an A+ rating and M1 label for very low emissions.

SWITCHING TO CIRCULAR PROCESSES

We want to reduce our carbon footprint, by limiting our use of new raw materials and switching to recycled materials.

INTERNAL ECOSYSTEM

99% of our own industrial waste is recycled through our internal production process. We do not unnecessarily burn or dump materials and we operate our own internal closed circuit. This indicates that our production facility takes its responsibility seriously, ensuring that virtually no waste is lost or destroyed.

We are also pioneering in post consumer recycling projects and investing in new production technologies to switch to post consumer recycled content in the core of our future vinyl floors.

DURABLE PRODUCTS

We do everything possible to ensure our vinyl flooring will last up to lifetime. That's why we are proud to offer lifetime warranty** on our vinyl floor.

* The Sciences Based Targets initiative (SBTi) is a collaboration between CDP, the United Nations Global Compact, World Resources Institute (WRI) and the Worldwide Fund for Nature (WWF). The SBTi defines and promotes best practice in science-based target setting, and independently assesses and validates companies' climate targets.

** For full warranty go to pergo.com.





WHY PERGO VINYL FLOORS?

Our Rigid vinyl floors are truly the combination of comfort, beauty and lifelong durability, born out of Scandinavian minimalism and deep sense of quality. Pergo vinyl floors offer maximal choice, from soft carpet designs to cool Terrazzo stone tiles and warm oaks.

Soft, silent and comfortable to walk on, yet ultra-strong, with excellent resistance to wear and scratches as well as a watertight surface. Pergo Rigid vinyl is very much the stunning embodiment of worry-free floors ready for anything. With a lifetime warranty, there is really nothing to worry about, only to enjoy.

Whether you're into DIY or use a professional company, installing your Pergo Rigid vinyl floor is super easy, thanks to the Uniclic® and the Unizip® click systems. Additionally, they come with the underlay integrated, which means there is no need for a separate one. Slightly uneven surfaces? Not a problem for our Rigid vinyl – making them a great match for renovations.

In simpler terms, if you're looking for floors that offer both comfort and durability, while also being beautiful and easy to install, your search ends here.



SOFT & SILENT

It feels warm, soft, and silent to walk on yet the floor is ultra-strong and has excellent resistance to wear and impact.



WATER RESISTANT

The floor has a worry-free watertight* surface and offers high resistance to stains, making it a delight to clean.



NATURAL LOOK & FEEL

Extraordinary natural designs and a tactile, matte surface. The floor will keep its fresh appearance thanks to our new superior top layer.



EASY TO INSTALL

Fast, easy installation with Uniclic® or Unizip® click system, even on slightly uneven surfaces.** All Pad Pro floors have an integrated underlay, which makes installation even faster and easier.



ACCESSORIES FOR A PERFECT RESULT

Everything you need from installation to the finished result and after care. Tools, colour matched skirtings and profiles, efficient maintenance products and more.



LIFETIME WARRANTY

All Pergo vinyl floors have lifetime warranty***, so that you can enjoy your floors without worry.

* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

** For requirements, please advise floor installation instructions on website: pergo.com.

*** For full warranty go to pergo.com.



AQUASAFE: BECAUSE LIFE'S TOO SHORT TO WORRY ABOUT WATER

All Pergo Rigid vinyl floors have AquaSafe, our in-house developed technology that creates a sealed, 100% watertight* surface all the way down into the bevels, preventing water from penetrating the floor. It simply stands on the surface and you can easily wipe it away.

* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

NEW PAD PRO: THE FASTER, EASIER WAY TO INSTALL YOUR FLOOR

All of our Rigid click floors come with the underlay pre-attached*, to make installing floors smarter, speedier and easier.

Specially designed for professional installers in multi housing projects, and enthusiasts who want to install more square metres in a day. Another advantage with the Pad Pro is that it gives great sound reduction to neighbouring rooms. Creating added comfort in your home.



QUICK AND EASY INSTALLATION
A really fast way to install your floor even if you're not a professional.

NO NEED FOR SEPARATE UNDERLAY
There is no need for sub-work, just go straight on with the floors.

SUPERIOR SOUND REDUCTION TO NEIGHBOURING ROOMS
Underlay is perfectly attached and gives optimal accoustics.

GREAT SUPPORT TO THE UNICLIC CLICKSYSTEM

Impact sound reduction (Vorma Pad Pro, Glomma Pad Pro) ●●●●●

Impact sound reduction (Namsen Pad Pro, Viskan Pad Pro) ●●●●○



**Namsen & Viskan collections are also available without underlay pre-attached.*

PRODUCT INFORMATION

RIGID CLICK



1. SUPERIOR PROTECTIVE TOP LAYER FOR SCRATCH, STAIN AND WEAR RESISTANCE – EXTRA MATT FOR AUTHENTIC LOOK.

2. FINE PRINTED VINYL DECOR LAYER.

3. FLEXIBLE VINYL LAYER FOR A SOUND ABSORBING, SOFT, WARM AND COMFORTABLE FEELING.

4. RIGID COMPOSITE CORE THAT MAKES LEVELLING OF SOME SUBFLOORS UNNECESSARY. TWO GLASSFIBRE REINFORCED RIGID LAYERS PREVENT THE FLOOR FROM CUPPING.

NEW UNIZIP®: HASSLE-FREE HERRINGBONE INSTALLATIONS


ONE PANEL HERRINGBONE SOLUTION

The Unizip® technology makes it possible to lay a herringbone floor with only one type of panel.

REDUCE MISTAKES DURING INSTALLATION


Easy Angle-Snap installation.

Better and easier installation experience.



VINYL PLANKS & TILES COLLECTIONS


Transform the feeling of your entire room. Make it wider, narrower, longer, darker or lighter depending on which size and colour you choose – the options are endless.



VORMA
PAD PRO
630 × 126 × 5+1 mm



GLOMMA
PAD PRO
1494 × 209 × 5+1 mm



NAMSEN
PAD PRO
1251 × 189 × 4+1 mm
PRO
1251 × 189 × 4 mm



VISKAN
PAD PRO
610 × 303 × 4+1 mm
PRO
610 × 303 × 4 mm

NEW VORMA

4-WAY BEVEL | HERRINGBONE



	length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
PAD PRO	630 mm	126 mm	5 + 1 mm	10	0,794 m ²	108	85,7304 m ²



BEIGE NORWEGIAN OAK
PAD PRO V4524-40215



DARK NORWEGIAN OAK
PAD PRO V4524-40217



WARM NORWEGIAN OAK
PAD PRO V4524-40284



LIGHT NORWEGIAN OAK
PAD PRO V4524-40285




BEIGE CENTURY OAK
PAD PRO V4524-40286



DARK CENTURY OAK
PAD PRO V4524-40287



GREY LIMESTONE
PAD PRO V4524-40172



BEIGE LIMESTONE
PAD PRO V4524-40173

VORMA MATCHING ACCESSORIES



STANDARD SKIRTING



5-IN-1 INCIZO® PROFILE



**VINYL STAIR COVER -
BULLNOSE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGVSK(-) 2400 x 12 x 58 mm	PGVINCP(-) 2000 x 45 x 8 mm	PGVSTRBSP(-) 1231 x 113 x 54 mm	PGKIT(-)B 310 ml
V4524-40215	40215	40215	40215 (+ V4307-40215)*	PGKIT10B
V4524-40217	40217	40217	40217 (+ V4307-40217)*	PGKIT17B
V4524-40284	40284	40284	40284 (+ V4307-40284)*	PGKIT02B
V4524-40285	40285	40285	40285 (+ V4307-40285)*	PGKIT19B
V4524-40286	40286	40286	40286 (+ V4307-40286)*	PGKIT18B
V4524-40287	40287	40287	40287 (+ V4307-40287)*	PGKIT15B
V4524-40172	40172	40172	-	PGKIT19B
V4524-40173	40173	40173	-	PGKIT19B

* To finish your stairs in a room with a Vorma floor: use the Stair Covers in combination with corresponding planks from the Namsen collection. The Namsen floors have the same decors as the Vorma floors.

GLOMMA

4-WAY BEVEL | MEDIUM PLANKS



	length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
PAD PRO	1494 mm	209 mm	5 + 1 mm	6	1,873 m ²	52	97,421 m ²



WHITE SCOTTISH OAK
PAD PRO V4431-40177



DARK EIFEL OAK
PAD PRO V4431-40178



GREY EIFEL OAK
PAD PRO V4431-40179



NATURAL EIFEL OAK
PAD PRO V4431-40180



BROWN EIFEL OAK
PAD PRO V4431-40181



BEIGE IRISH OAK
PAD PRO V4431-40182



NATURAL IRISH OAK
PAD PRO V4431-40183



GREIGE IRISH OAK
PAD PRO V4431-40184



WHITE SWAMP OAK
PAD PRO V4431-40301



NATURAL SWAMP OAK
PAD PRO V4431-40302



BROWNISH SWAMP OAK
PAD PRO V4431-40303



WARM SWAMP OAK
PAD PRO V4431-40304



PALE TEMPER OAK
PAD PRO V4431-40305



NATURAL TEMPER OAK
PAD PRO V4431-40306



DARK TEMPER OAK
PAD PRO V4431-40307



WARM MOSS OAK
PAD PRO V4431-40308

GLOMMA MATCHING ACCESSORIES



STANDARD SKIRTING



5-IN-1 INCIZO® PROFILE



**VINYL STAIR COVER -
BULLNOSE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGVSK(-) 2400 x 12 x 58 mm	PGVINCP(-) 2000 x 45 x 8 mm	PGVSTRBMP(-) 1474 x 136 x 54 mm	PGKIT(-)B 310 ml
V4431-40177	40177	40177	40177	-
V4431-40178	40178	40178	40178	PGKIT12B
V4431-40179	40179	40179	40179	PGKIT16B
V4431-40180	40180	40180	40180	PGKIT02B
V4431-40181	40181	40181	40181	PGKIT10B
V4431-40182	40182	40182	40182	PGKIT02B
V4431-40183	40183	40183	40183	PGKIT10B
V4431-40184	40184	40184	40184	PGKIT17B
V4431-40301	40301	40301	40301	PGKIT19B
V4431-40302	40302	40302	40302	PGKIT10B
V4431-40303	40303	40303	40303	PGKIT16B
V4431-40304	40304	40304	40304	PGKIT14B
V4431-40305	40305	40305	40305	PGKIT18B
V4431-40306	40306	40306	40306	PGKIT10B
V4431-40307	40307	40307	40307	PGKIT15B
V4431-40308	40308	40308	40308	PGKIT09B

NAMSEN

4-WAY BEVEL | SMALL PLANKS



	length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
PAD PRO	1251 mm	189 mm	4 + 1 mm	9	2,128 m ²	44	93,630 m ²
PRO	1251 mm	189 mm	4 mm	12	2,837 m ²	44	124,840 m ²



BEIGE NORWEGIAN OAK
PAD PRO V4307-40215
PRO V4207-40215



GREY NORWEGIAN OAK
PAD PRO V4307-40216
PRO V4207-40216



DARK NORWEGIAN OAK
PAD PRO V4307-40217
PRO V4207-40217



GREIGE FOREST OAK
PAD PRO V4307-40218
PRO V4207-40218



NATURAL FOREST OAK
PAD PRO V4307-40219
PRO V4207-40219



NATURAL ARDECHE OAK
PAD PRO V4307-40220
PRO V4207-40220



BRIGHT ARDECHE OAK
PAD PRO V4307-40221
PRO V4207-40221



NATURAL CABIN OAK
PAD PRO V4307-40222
PRO V4207-40222



SMOKED CABIN OAK
PAD PRO V4307-40223
PRO V4207-40223



LIGHT CABIN OAK
PAD PRO V4307-40224
PRO V4207-40224



LIGHT LAKELAND OAK
PAD PRO V4307-40226
PRO V4207-40226



DARK LAKELAND OAK
PAD PRO V4307-40228
PRO V4207-40228



WARM NORWEGIAN OAK
PAD PRO V4307-40284
PRO V4207-40284



LIGHT NORWEGIAN OAK
PAD PRO V4307-40285
PRO V4207-40285



BEIGE CENTURY OAK
PAD PRO V4307-40286
PRO V4207-40286



DARK CENTURY OAK
PAD PRO V4307-40287
PRO V4207-40287



NATURAL NORWEGIAN OAK
PAD PRO V4307-40309
PRO V4207-40309



WHITE NORWEGIAN OAK
PAD PRO V4307-40310
PRO V4207-40310



CHALKED NORWEGIAN OAK
PAD PRO V4307-40311
PRO V4207-40311



PALE ARDECHE OAK
PAD PRO V4307-40312
PRO V4207-40312



SOFT ARDECHE OAK
PAD PRO V4307-40313
PRO V4207-40313



GOLDEN CABIN OAK
PAD PRO V4307-40314
PRO V4207-40314

NAMSEN MATCHING ACCESSORIES



STANDARD SKIRTING



5-IN-1 INCIZO® PROFILE



**VINYL STAIR COVER -
BULLNOSE**




COLOURED SEALANT

ART. NO DIMENSIONS	PGVSK(-) 2400 x 12 x 58 mm	PGVINCP(-) 2000 x 45 x 8 mm	PGVSTRBSP(-) 1231 x 113 x 54 mm	PGKIT(-)B 310 ml
V4x07-40215	40215	40215	40215	PGKIT10B
V4x07-40216	40216	40216	40216	PGKIT18B
V4x07-40217	40217	40217	40217	PGKIT17B
V4x07-40218	40218	40218	40218	PGKIT10B
V4x07-40219	40219	40219	40219	PGKIT09B
V4x07-40220	40220	40220	40220	PGKIT09B
V4x07-40221	40221	40221	40221	PGKIT10B
V4x07-40222	40222	40222	40222	PGKIT09B
V4x07-40223	40223	40223	40223	PGKIT09B
V4x07-40224	40224	40224	40224	PGKIT04B
V4x07-40226	40226	40226	40226	PGKIT16B
V4x07-40228	40228	40228	40228	-
V4x07-40284	40284	40284	40284	PGKIT02B
V4x07-40285	40285	40285	40285	PGKIT19B
V4x07-40286	40286	40286	40286	PGKIT18B
V4x07-40287	40287	40287	40287	PGKIT15B
V4x07-40309	40309	40309	40309	PGKIT10B
V4x07-40310	40310	40310	40310	PGKIT18B
V4x07-40311	40311	40311	40311	PGKIT16B
V4x07-40312	40312	40312	40312	PGKIT18B
V4x07-40313	40313	40313	40313	PGKIT10B
V4x07-40314	40314	40314	40314	PGKIT04B

VISKAN

4-WAY BEVEL | TILES



	length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
PAD PRO	610 mm	303 mm	4 + 1 mm	10	1,848 m ²	48	88,718 m ²
PRO	610 mm	303 mm	4 mm	15	2,772 m ²	40	110,898 m ²



WHITE ALPSTONE
PAD PRO V4320-40169
PRO V4220-40169



BLACK ALPSTONE
PAD PRO V4320-40170
PRO V4220-40170



GREY ALPSTONE
PAD PRO V4320-40171
PRO V4220-40171



GREY LIMESTONE
PAD PRO V4320-40172
PRO V4220-40172



BEIGE LIMESTONE
PAD PRO V4320-40173
PRO V4220-40173



DARK GREY LIMESTONE
PAD PRO V4320-40174
PRO V4220-40174



BRIGHT MARBLE
PAD PRO V4320-40295
PRO V4220-40295



GREY MARBLE
PAD PRO V4320-40296
PRO V4220-40296



DARK MARBLE
PAD PRO V4320-40297
PRO V4220-40297



DRY SANDSTONE
PAD PRO V4320-40298
PRO V4220-40298



GREY SANDSTONE
PAD PRO V4320-40299
PRO V4220-40299



WET SANDSTONE
PAD PRO V4320-40300
PRO V4220-40300

VISKAN MATCHING ACCESSORIES



STANDARD SKIRTING

PGVSK(-)
2400 x 12 x 58 mm



5-IN-1 INCIZO® PROFILE

PGVINCP(-)
2000 x 45 x 8 mm



COLOURED SEALANT

ART. NO
DIMENSIONS

V4x20-40169

40169

40169

PGKIT19B

V4x20-40170

40170

40170

PGKIT20B

V4x20-40171

40171

40171

PGKIT03B

V4x20-40172

40172

40172

PGKIT19B

V4x20-40173

40173

40173

PGKIT19B

V4x20-40174

40174

40174

PGKIT03B

V4x20-40295

40295

40295

PGKIT19B

V4x20-40296

40296

40296

PGKIT19B

V4x20-40297

40297

40297

PGKIT12B

V4x20-40298

40298

40298

PGKIT02B

V4x20-40299

40299

40299

PGKIT16B

V4x20-40300

40300

40300

PGKIT17B



YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

1. UNDERLAYS (FOR NON PADDED FLOORS)

Make a great floor greater. Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises and support the click system. They can be combined with underfloor heating or cooling too. No need to install a separate underlay when you choose a collection with pad attached.

2. SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white skirtings.

3. PROFILES

Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile. Or go for a metal finish.

ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A vinyl floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

INSTALLATION

UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	COMFORT UNDERLAY 15 m ² / roll PGVUDLCOMFORT15	15000	1000	1,15	1	1000	150	150	35
	HEAT UNDERLAY* 10 m ² / roll PGVUDLHEAT10	10000	1000	1,55	1	140	140	1000	40
	TRANSIT UNDERLAY 15 m ² / roll PGVUDLTRANSIT15	15000	1000	1,20	1	1000	150	150	35

* For commercial use it's mandatory to use the Heat Underlay in combination with Namsen pro and Viskan pro.

** Cradle to Cradle Certified® products are awarded certification based upon their performance across five critical areas of sustainability: Material health, Product Circularity, Clean Air & Climate Protection, Water & Soil Stewardship and Social Fairness.


INSTALLATION

INSTALLATION TOOLS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>INSTALLATION SET PGTOOL</p>	285	80	70	10	300	370	170	320
 <p>SPACERS PGSPACER 1 PC: 48 spacers</p>	190	85	50	28	300	370	170	896
 <p>INSTALLATION TOOL PGVTOOL</p>	410	190	16	8	420	200	120	576
 <p>VINYL KNIFE PGVKNIFEB</p>	275	113	50	6	295	252	105	576
 <p>REFILL SET FOR VINYL KNIFE NEVKNIFEREFILL40 1 PC: 40 blades</p>	67	25	32	10	340	155	85	500

FINISHING

SKIRTINGS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>COLOUR MATCHED STANDARD SKIRTING</p> <p>PGVSK(-) 2400 × 12 × 58 mm</p>	2400	12	58	6	2405	65	61	720
 <p>PAINTABLE STANDARD SKIRTING</p> <p>PGSKPAINTA 2400 × 12 × 58 mm</p>	2400	12	58	6	2405	60	65	720
 <p>PAINTABLE SCOTIA</p> <p>PGSCOTPAINTA 2400 × 12 × 58 mm</p>	2400	17	17	6	2440	54	54	894
 <p>PAINTABLE PARQUET SKIRTING</p> <p>PGPSKPAINTA 2400 × 14 × 77 mm</p>	2400	14	77	6	2405	89	79	432
 <p>PAINTABLE COVER SKIRTING</p> <p>PGISKRCOVER 2400 × 16 × 129 mm</p>	2400	16	129	6	2410	146	48	264
 <p>PAINTABLE WATERPROOF MEDIUM SKIRTING</p> <p>PGHSK58PAINT 2400 × 13 × 58 mm</p>	2400	13	58	6	2410	78	58	540
 <p>PAINTABLE WATERPROOF LARGE SKIRTING</p> <p>PGHSK80PAINT 2400 × 15 × 80 mm</p>	2400	15	80	6	2400	80	90	420

FINISHING

PROFILES

	length mm	PIECE		pc / pack	PACK			PALLET pc / pallet
		width mm	height mm		length mm	width mm	height mm	
 <p>INCIZO PROFILE PGVINCP(-) 2000 × 45 × 8 mm</p>	2000	45	8	1	2100	69	20	260
 <p>INCIZO ALUMINIUM SUBPROFILE FOR STAIRS NEVINCPBASE1 2000 × 33 × 17 mm</p>	2000	33	17	1	2000	35	25	276
 <p>ADAPTER PROFILE CHAMPAGNE NEVADPCHAM 2000 × 38 × 7 mm</p>	2000	38	7	10	2102	142	52	400
 <p>ADAPTER PROFILE SILVER NEVADPSILV 2000 × 38 × 7 mm</p>	2000	38	7	10	2102	142	52	400
 <p>ADAPTER PROFILE COFFEE NEVADPCOFF 2000 × 38 × 7 mm</p>	2000	38	7	10	2102	142	52	400
 <p>ADAPTER PROFILE CLAY NEVADPCLAY 2000 × 38 × 7 mm</p>	2000	38	7	10	2102	142	52	400
 <p>EXPANSION PROFILE CHAMPAGNE NEVEXPCHAM 2000 × 34 × 7 mm</p>	2000	34	7	10	2102	142	52	400

PROFILES

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>EXPANSION PROFILE SILVER NEVEXPSILV 2000 × 34 × 7 mm</p>	2000	34	7	10	2102	142	52	400
 <p>EXPANSION PROFILE COFFEE NEVEXPCOFF 2000 × 34 × 7 mm</p>	2000	34	7	10	2102	142	52	400
 <p>EXPANSION PROFILE CLAY NEVEXPCLAY 2000 × 34 × 7 mm</p>	2000	34	7	10	2102	142	52	400
 <p>END PROFILE CHAMPAGNE NEVENPCHAM 2000 × 24 × 7 mm</p>	2000	24	7	10	2102	142	52	400
 <p>END PROFILE SILVER NEVENPSILV 2000 × 24 × 7 mm</p>	2000	24	7	10	2102	142	52	400
 <p>END PROFILE COFFEE NEVENPCOFF 2000 × 24 × 7 mm</p>	2000	24	7	10	2102	142	52	400
 <p>END PROFILE CLAY NEVENPCLAY 2000 × 24 × 7 mm</p>	2000	24	7	10	2102	142	52	400

FINISHING

PROFILES



MULTIFUNCTIONAL PROFILE SILVER

PGPRSILV
1860 x 47 x 16 mm

length
mm

PIECE

width
mm

height
mm

pc /
pack

PACK

length
mm

width
mm

height
mm

PALLET

pc /
pallet

1860

47

16

1

1860

60

16

340

STAIR COVERS - RIGID CLICK



VINYL STAIR COVER -BULLNOSE

PGVSTRBMP(-)
1474 x 136 x 54 mm

length
mm

PIECE

width
mm

height
mm

pc /
pack

BOX

length
mm

width
mm

height
mm

PALLET

pc /
pallet

1474

136

54

2

1480

142

65

96

(for Glomma)
minimum order quantity:
box



VINYL STAIR COVER -BULLNOSE

PGVSTRBSP(-)
1231 x 113 x 54 mm

1231

113

54

2

1237

119

65

96

(for Namsen and Vormo)
minimum order quantity:
box

NEW : MATCHED RIGID STAIR COVER

Give your staircase a fresh look with easy-to-install stair covers. These durable yet elegant stair covers are made from floor planks, which guarantees a 100% seamless matching fit with your floor.

NAMSEN & VORMA*

COLOURMATCHED RISERS INSTALLATION

Gives your stair a seamless look from top to bottom.



NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
AMOUNT OF PACKAGES STAIRCOVERS PGVSTRBSP(-)	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
AMOUNT OF PACKAGES FLOOR PLANKS V4307-xxxxx V4207-xxxxx	1	1	1	1	2	2	2	2	2	3	3	3	3	4	4	4

WHITE/PAINTED RISERS INSTALLATION

Install just the treads and paint the rest in the same colour as the wall.



NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
AMOUNT OF PACKAGES STAIRCOVERS PGVSTRBSP(-)	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
AMOUNT OF PACKAGES FLOOR PLANKS V4307-xxxxx V4207-xxxxx	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2

* To finish your stairs in a room with a Vorma floor: use the Stair Covers in combination with corresponding planks from the Namsen collection. The Namsen floors have the same decors as the Vorma floors.

GLOMMA

COLOURMATCHED RISERS INSTALLATION

Gives your stair a seamless look from top to bottom.



NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
AMOUNT OF PACKAGES STAIRCOVERS PGVSTRBMP(-)	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
AMOUNT OF PACKAGES FLOOR PLANKS V4431-xxxxx	1	1	1	2	2	2	3	3	3	4	4	4	5	5	5	6

WHITE/PAINTED RISERS INSTALLATION

Install just the treads and paint the rest in the same colour as the wall.



NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
AMOUNT OF PACKAGES STAIRCOVERS PGVSTRBMP(-)	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
AMOUNT OF PACKAGES FLOOR PLANKS V4431-xxxxx	1	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3

FINISHING

INSTALLATION TOOLS FOR SKIRTINGS



PLUGS FOR SKIRTINGS

NEPLUG
1 PC: 48 plugs

length
mm

PIECE

width
mm

height
mm

pc /
pack

PACK

length
mm

width
mm

height
mm

PALLET

pc /
pallet

100

150

40

10

250

160

105

1000



MULTIGLUE

PGGLUE290
290 ml

50

50

230

12

213

160

240

1200

FINISHING TOOLS



COLOURED SEALANT

PGKIT(-)B
310 ml

50

50

230

12

213

160

240

1200



PIPE COVERS 18 MM

PGPCINOX18
1 PC: 2 pipe covers

75

20

140

15

240

165

130

510



PIPE COVERS 22 MM

PGPCINOX22
1 PC: 2 pipe covers

75

20

140

15

240

165

130

510

TOOLS FOR A
WATERTIGHT FINISH
- RIGID VINYL



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
FOAMSTRIP NEVRFOAMSTRIP15	390	350	8	10	400	360	95	600



AQUA SEALANT PGKITTRANSP 310 ml	50	50	230	12	213	160	240	1200
--	----	----	-----	----	-----	-----	-----	------


MAINTENANCE



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
FLOOR CLEANER 1 L PGCLEANECO1000	90	76	270	6	280	165	290	342



SPOT CLEANER 250 ML PGSPOTCLEAN	50	50	200	20	260	210	210	1120
---	----	----	-----	----	-----	-----	-----	------



CLEANING KIT PGCLEANINGKIT	770	200	55	6	790	165	250	144
--------------------------------------	-----	-----	----	---	-----	-----	-----	-----



REPAIR KIT PGREPAIR	290	125	28	12	370	250	150	648
-------------------------------	-----	-----	----	----	-----	-----	-----	-----



PERGO®

Floors for real life

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit pergo.com. Cover: V4524-40285

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium

a brand of  UNILIN