

Real floors, for people who like to walk a little more on the wild side. As the inventor of laminate flooring, Pergo knows the importance of beautiful, real flooring better than most. We love the thrill of a new challenge. Realness matters to us.

Just like our clients, we're about the real deal. The honest feeling of doing what's right. Like keeping things interesting at home after a long day at work. Just a little jolt that keeps you alive and deep down feels just right!

Our story (3)

What makes our vinyl different (4)

Rigid Click vinyl (6)

Collections & dimensions (10)

Give your interior some panache (20)

DIY installation (28)

ACE NESS



Nordic realness to walk on

OUR STORY

We are a true Scandinavian interior brand.
What does that mean? At Pergo, we focus on design
that breathes reality, is simple and functional.

PERGO®

Pergo is the inventor of **laminat**e flooring,
and also develops some of the best **vinyl**
and **wood parquet**. We know how important
home is to you. We aim to make you feel
at ease, in every way. Our floors are for
real people living their life to the fullest!

We strive for quality, no matter what. It's in
the products we make and the decisions
we take. We recycle all our internal waste
and produce using an eco-energetical
method, bu reusing rain water and heat.
The result is sustainably made flooring
that can resist the day to day adventures.

Because we know you want to live
a carefree life and live in the moment.

BEIGE SCOTTISH OAK, V3531-40176



Vinyl just got real


WHAT MAKES OUR VINYL DIFFERENT

If you want a floor that is natural-looking and easy to maintain, Pergo Vinyl is the floor of your dreams. Our R&D team sets the standard, with unique designs that look real.

“

Pergo's vinyl patterns evoke real natural diversity.

DARK GREY LIMESTONE, V3520-40174



GREY ALASKA OAK, V3507-40229

We aim for beauty and variety. That's why Pergo floor designs consist of different planks with varying patterns. Nothing is more real than **natural diversity**. But its looks are not the only feature that sets our vinyl apart.

Because we know a modern life is also an active one, we fitted our vinyl with a **superior top layer**. This protects your floor against staining, soiling and scratching. Pergo Vinyl is also water resistant down to its core.



It is easy to maintain and very hygienic. Its thickness makes it a renovation-friendly flooring. As a bonus, the click installation system is easy to master, even in tight spots. And our products are **100% free of ortho-phthalates**, which makes for a healthier home atmosphere.

There are two main categories of Pergo Vinyl: Rigid Vinyl and Flex Vinyl. The Rigid Vinyl range is ultra-strong and ideal to install on irregular

surfaces, while Flex Vinyl is extra comfortable and great for smoother surfaces. Flex Vinyl is either installed with a click installation system, named Flex Click. Or glued to the subfloor, which needs to be ultra-smooth, named Flex Glue.




Eager to learn more about Flex Click or Flex Glue? Then just turn this brochure around and browse further. Check the installation instructions on pergo.com.



“

A super solid core makes a durable floor.

SEE COLOUR MATCHED
SKIRTING (P.25)



Stunning strength with Rigid Click

VINYL THAT LASTS,
AND LASTS, AND LASTS

At Pergo, we applaud your energetic lifestyle. With Rigid Click, we marry beauty with strength. Our Rigid Vinyl floors might trick you: they look and feel like real wood and stone. The detailing is impressive, as is the variety in texture and colour.



Pergo Rigid Click flooring can take a knock or two. The core is **ultra-strong** and the top layer **ultra-resistant**, while the vinyl is very thin. In other words, your Rigid Click floor is extremely strong and resilient.



Another plus? Pergo Rigid Click is installed in no time, sometimes even on irregular surfaces. The subfloor **hardly needs any preparation**, thanks to the strength of the vinyl and the **easy click installation**.



Rigid click floors are also 100% waterproof when installed. **Watertight click system?** check. **Water-repellent vinyl?** check. That way you can cook, spill, live life to the fullest, without the worry.



Every Rigid Click floor is Pro-quality, our superior quality level, which means that it is **extra durable** and offers you a **25-year warranty**.

FOR MORE INFORMATION, PLEASE CONSULT THE INSTALLATION
INSTRUCTIONS AND THE WARRANTY ON PERGO.COM

NATURAL EIFEL OAK, V3531-40180





THE FLOOR IS WHERE I MAKE MY COMPOSITIONS, WHERE I DO MY THINKING & LOOK AT WHAT I'VE MADE.

**REALNESS ACCORDING TO
MIRA SOHLÉN, TAPESTRY ARTIST**

"My work is all about letting the process dictate the outcome, but also creating every single detail with my own hands. The floor is where I start. It's where I make my compositions, where I do my thinking and look at what I've made."

Collections & dimensions

COLOUR & SIZE REALLY MATTER

With Pergo Vinyl, you don't need to settle. The colour and texture variety in the Rigid Click range is impressive, so you are sure to find your match. And you can choose between three different plank sizes.

“

Let your house stand out
with perfectly sized flooring planks.



DARK EIFEL OAK, V3531-40178

Glomma pro



1494 × 209 mm ± 5 mm

Glomma pro is the choice that lets your house breathe. The planks are generously sized and make rooms look larger. Its textures and variations evoke nature, for a clean touch of authenticity.



SEE COLOUR MATCHED SKIRTING
AND PROFILE (P.23 & 25)



SEE DECOR IN INTERIOR ON P.13

Beige Irish Oak
RIGID CLICK V3531-40182



SEE DECOR IN INTERIOR ON P.6

Natural Eifel Oak
RIGID CLICK V3531-40180



Natural Irish Oak
RIGID CLICK V3531-40183



SEE DECOR IN INTERIOR ON P.13

White Scottish Oak
RIGID CLICK V3531-40177



Grey Eifel Oak
RIGID CLICK V3531-40179



SEE DECOR IN INTERIOR ON P.3 & 22

Beige Scottish Oak
RIGID CLICK V3531-40176



Greige Irish Oak
RIGID CLICK V3531-40184



Grey Scottish Oak
RIGID CLICK V3531-40175



Brown Eifel Oak
RIGID CLICK V3531-40181



SEE DECOR IN INTERIOR ON P.10

Dark Eifel Oak
RIGID CLICK V3531-40178





WHITE SCOTTISH OAK, V3531-40177

SEE COLOUR MATCHED
SKIRTING (P.25)



BEIGE IRISH OAK, V3531-40182

PERGO®

VINYL PLANKS & TILES RIGID CLICK



Namsen pro



1251 × 189 mm \pm 5 mm

Namsen pro is a real pleaser and will fit any room. It's the nature-like designs that sets this range apart. You can almost feel the wood grains and knots, can't you?





SEE DECOR IN INTERIOR ON P.14

White Alaska Oak
RIGID CLICK V3507-40230



SEE DECOR IN INTERIOR ON P.4

Grey Alaska Oak
RIGID CLICK V3507-40229



Light Lakeland Oak
RIGID CLICK V3507-40226



Grey Norwegian Oak
RIGID CLICK V3507-40216



Smoked Cabin Oak
RIGID CLICK V3507-40223



Bright Ardeche Oak
RIGID CLICK V3507-40221



Beige Norwegian Oak
RIGID CLICK V3507-40215



SEE DECOR IN INTERIOR ON P.2 & 21

Greige Forest Oak
RIGID CLICK V3507-40218



Natural Forest Oak
RIGID CLICK V3507-40219



Light Cabin Oak
RIGID CLICK V3507-40224



SEE DECOR IN INTERIOR ON P.8

Natural Ardeche Oak
RIGID CLICK V3507-40220



SEE DECOR IN INTERIOR ON P.18

Grey Lakeland Oak
RIGID CLICK V3507-40227



Natural Cabin Oak
RIGID CLICK V3507-40222



Dark Lakeland Oak
RIGID CLICK V3507-40228



Dark Norwegian Oak
RIGID CLICK V3507-40217



Dark Cabin Oak
RIGID CLICK V3507-40225

Viskan pro




610 × 303 mm ± 5 mm

Viskan pro range is designed for stone lovers. The Rigid Vinyl tiles look like the real deal, but are in fact less fragile than, say, your favourite type of marble. And with Tile, you get the look without the cold feeling underfoot.



BEIGE LIMESTONE, V3520-40173



White Alpstone
RIGID CLICK V3520-40169



Beige Limestone
RIGID CLICK V3520-40173



Grey Limestone
RIGID CLICK V3520-40172



Grey Alpstone
RIGID CLICK V3520-40171



Dark Grey Limestone
RIGID CLICK V3520-40174



Black Alpstone
RIGID CLICK V3520-40170



ONLINE TOOLS LEAD THE WAY

Want a sneak peek of the floor of your dreams in your own home? Or do you want us to select some nice flooring options for you? Happy to help!

VISIT FLOORLAB & FLOORFINDER
ON **PERGO.COM**



Floorlab

Want to go one step further? In our online Floorlab tool you can **preview the floor of your choice in your own interior**. That way, you can test the real look and feel of your top option. Go see for yourself!




Floorfinder

A wide variety is great and all, but how do you choose the flooring option that is just right for you? With our online Floorfinder, **we help you decide in a few simple steps**, with a clear eye on your personal style and flooring needs.



**DANCING IS
TOUCH AND
CONNECT
SPACE YOU
REALLY NEED**



CALL ABOUT
D HOW YOU
WITH THE
U'RE IN. YOU
D TO FEEL IT.

**REALNESS ACCORDING TO
WIM VANLESSEN, BALLET DANCER**

"As an artist you can't hide your personality. I think the same can be said for everything that's made with heart. Dancing is all about touch and how you connect with the space you're in. You really need to feel it."





SEE COLOUR MATCHED
PROFILE (P.23)

“

Take your floor to the next level.

A real & speedy finish

GIVE YOUR INTERIOR
SOME PANACHE

The floor of your dreams deserves the perfect finish. You don't go out with mismatched shoes or accessories, do you? That's why Pergo has developed matching skirtings and profiles for each floor in its range. Thanks to our broad range of products, you can take the look of your interior to the next level.

And a beautiful home does not have to be hard-won. Our flooring and accessories are installed within the click of a finger. The click joints on a Pergo floor come together easily. The locking is flawless. So, no need to worry if you want to roll up your sleeves and do it yourself.

PERGO OFFERS

UNDERLAYS

COLOUR MATCHED PROFILES

ALUMINIUM PROFILES

SKIRTINGS

INSTALLATION & MAINTENANCE

UNDERLAYS



Comfort underlay

Good sound reduction.
All-round underlay for every room
with good noise reduction.

15 m² / roll

Thickness: 1,15 mm

PGVUDLCOMFORT15



Heat underlay

Best solution for sound reduction in the
room. It is suitable for rooms with direct
sunlight (large windows) and the best
choice for underfloor heating.

10 m² / roll

Thickness: 1,55 mm

PGVUDLHEAT10



Transit underlay

Best impact sound reduction to
neighbouring rooms, ideal for first
floors and apartments.

15 m² / roll

Thickness: 1,20 mm

PGVUDLTRANSIT15



BEIGE SCOTTISH OAK, V3531-40176

PROFILES


COLOUR MATCHED PROFILES

5 applications with 1 profile

Finish off your Pergo floor perfectly. Cut the full profile to your desired shape with the included knife.



FOR MORE INFO ABOUT
INSTALLATION & WARRANTY
VISIT [PERGO.COM](https://www.pergo.com)



Full profile to be cut

See colour matching matrix for correct article number on page 30.

PGVINCP(-), 2000 × 45 × 8 mm



End profile

To cover the expansion joint between floor and e.g. wall, window or threshold.

PGVINCP(-), 2000 × 19 × 8 mm



Expansion profile

To cover the expansion joint between two floors of the same height.

PGVINCP(-), 2000 × 38 × 8 mm



Adapter profile

To cover the expansion joint between a higher and a lower floor.


PGVINCP(-), 2000 × 45 × 8 mm



Transition profile

To cover the expansion joint between floor and e.g. carpet.


PGVINCP(-), 2000 × 38 × 8 mm




Stair nose

The Incizo® subprofile is required for stair application and has to be ordered separately.

PGVINCP(-), NEVINCPBASE1, 2000 × 38 × 8 mm



ALUMINIUM PROFILES



Combi profile

The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor. Suitable for height differences of 0 – 12,3 mm.

Colour: silver

Surface: aluminium

PGPRSILV

1860 × 47 × 16 mm



Expansion profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.

Colour: silver

NEVREXPSILV

2000 × 32,5 × 7,5 mm



Also available in variant with screws and dowels.

NEVREXPCOMSILV

Adapter profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.

Colour: silver

NEVRADPSILV

2000 × 31 × 8,5 mm



Also available in variant with screws and dowels.

NEVRADPCOMSILV

End profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.

Colour: silver

NEVRENPSILV

2000 × 24 × 8,5 mm



Also available in variant with screws and dowels.

NEVRENPCOMSILV



Stair nose, click

For installation of Pergo click vinyl on stairs and steps.

Always glue the floor panels for your safety!

Colour: silver

PGVSTPCLICK

2000 × 29 × 15 mm



Stair nose outer, glue

For installation of Pergo glue vinyl on stairs and steps.

Colour: silver

PGVSTPGLUE

2000 × 40 × 26 mm



Stair nose inner, glue

For installation of Pergo glue vinyl on stairs and steps.

Colour: silver

PGVSTPINGLUE

2000 × 25 × 25 mm



SKIRTINGS



Paintable skirting

Waterproof, paintable skirting board to hide expansion joints and protect walls.

Colour: white & paintable

Full PVC skirting for a complete waterproof finish.

Core: PVC

NEVSKRPAINTA, 2000 × 12 × 58 mm



Colour matched skirting

Colour matched: see colour matching matrix for correct article number on page 30.

Surface: wear and scratch-resistant

Core: MDF

Adaptable to 40 mm height. 8 straight and 8 corner connecting plugs included / pack (6 skirtings).

PGVSK(-), 2400 × 12 × 58 mm



**ONLY FOR
COLOUR
MATCHED
SKIRTING**

Want a waterproof finish?

Optimize your Rigid Click floor with a waterproof finish. Secure the floor with:

1

PE-FOAMSTRIP

NEVRFOAMSTRIP15, 15 × 8 × 5 mm

Fill up expansion joints with the PE-foamstrip with adhesive backing.

2

AQUA SEALANT

PGKITTRANSP (see p.30)

For invisible and waterproof finishing.

3

HYDROSTRIP

NEHSTRIPSK15, 15 m

Transparent strip on a roll for a waterproof finish of the colour matched skirting.

We've got
whatever it takes



1

GLUE

PGVGLUE6, 6 kg (+/- 20 m²)
PGVGLUE15, 15 kg (+/- 50 m²)

Professional glue, specially developed for Pergo Vinyl floors. Spreads easily, guarantees fast adhesion and offers the highest strength.

2

MULTIGLUE

PGLUE290, 290 ml

Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing skirtings. Hybrid polymer. One tube glues 15 running meters of skirting.

3

COLOURED SEALANT

PGKIT(-), 310 ml

For a beautiful finish between skirtings and wall. Available in 8 colours. Water based acrylic. See colour matching matrix on p.30. Never use directly on an Pergo Vinyl floor.

4

AQUA SEALANT

PGKITTRANSP, 310 ml

For invisible and waterproof finishing.

5

TAPE

NETAPE50, 50 m x 5 cm

Self-adhesive aluminium tape to seal seams between strokes of underlays.

6

CONNECTING PLUGS

NEPLUG, 48 pcs

Easily connect your skirtings by using these plugs. For PGVSK(-) skirtings only. 24 corner plugs + 24 straight plugs.

7

RADIATOR CAPS

PGRCINOX15, stainless steel

Inner diameter: 15 mm
Outer diameter: 54 mm
2 pc / pack.

PGRCINOX22, stainless steel

Inner diameter: 22 mm
Outer diameter: 54 mm
2 pc / pack.

8

GLUE TROWEL

PGVA2

Ensures perfect glue consumption per m².

9

INSTALLATION TOOL FLEX VINYL

PGVTOOL

Excellent tool for precise cutting straight and 90°. Hand protection with pull bar and lever function. Suited for both left and right handed. **Use the PGVTOOL for Flex Vinyl installation.**

10

CUTTER KNIFE

PGVKNIFEB, NEVKNIFEREFILL

Professional knife, perfect for precise and stable cutting. Ideal for cutting curves and shapes. 5 blades are included. The refill includes 40 blades.

11

INSTALLATION KIT RIGID VINYL

PGTOOL

Everything you need in one box. Contains tapping block, installation spacers in two sizes (2 x 18 = 36 pcs) and a pull bar. **Use the PGTOOL for Rigid Vinyl installation.**

EXTRA SPACERS

PGSPACER, 48 pcs

12

VINYL FLOOR CLEANING

PGVCLEANING1000, 1000 ml

Protects the protective top layer. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.

13

REPAIR WAX

PGREPAIR


Repair the colour of damaged planks quickly and easily with wax in colours covering all Pergo floors. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com.

14

CLEANING KIT

PGCLEANINGKIT

High quality mop set with extra long ergonomic handle and a mop cloth holder.






Uniclic™ click system

DIY INSTALLATION


WANT TO INSTALL YOUR FLOOR YOURSELF?

Congrats and have fun! Your floor is just a click away.

**Choose the method that works best for
you and we will guide you every step of the way.**



Need more information about installation or subfloor preparation? Check the installation instructions and the step-by-step video! **Scan the code or check pergo.com**



PERGO RIGID VINYL

- ① Superior Protective top layer for scratch, stain and wear resistance – extra matt for authentic look
- ② Fine printed vinyl decor layer
- ③ Flexible vinyl layer for a sound absorbing, soft, warm and comfortable feeling
- ④ Rigid composite core that makes levelling of some subfloors unnecessary. Two glassfibre reinforced rigid layers prevent the floor from cupping.



EASY INSTALLATION The Uniclic® system makes installation quick and easy. Just click the planks into place using one of the two methods, and you'll be done in no time.



FIRE RESISTANCE Pergo Vinyl floors have a natural high resistance to fire. They are designed to meet all European requirements for installation in escape routes and assembly halls.



WEAR PROTECTION The surface of Pergo Vinyl offers a multi-layer protective floor finish. The protective top layer provides scratch, stain and wear resistance and easy maintenance.



WATER RESISTANCE Our Moisture Resistance System combines the waterproof floor with a strong and tight click joint. This gives Pergo Vinyl floors some of the best moisture resistance properties on the market.



IMPACT RESISTANCE Pergo's Vinyl surface is multi-layer build-up. In combination with the dense core material it gives the floor a very high impact resistance and a low residual indentation, protecting your floor from potential damage.



HYGIENIC A Pergo Vinyl floor improves hygiene and makes it easier to maintain a clean home. The sealed surface prevents bacteria, and helps reduce the amount of cleaning chemicals you need.



CASTOR CHAIR The multi-layer build-up of Pergo Vinyl in combination with the properties of the core are designed to withstand damage from castor chairs.



EASY MAINTENANCE The Pergo protective top layer is resistant to dirt and offers you low maintenance and effortless cleaning. The solid design of the click joints also keeps dirt from penetrating the joint.






SOUND REDUCTION The soft vinyl floor reduces step noise and provides a quiet and comfortable walking experience.



Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Contents © 2020 by Unilin bv – Division Flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.

Colour matching matrix

DECOR	ART. NR.	 5-IN-1 PROFILE 8 × 45 MM PGVINCP(-)	 SKIRTING 12 × 58 MM PGVSK(-)	 SEALANT 310 ML PGKIT(-)
Grey Scottish Oak	V3531-40175	40175	40175	04
Beige Scottish Oak	V3531-40176	40176	40176	03
White Scottish Oak	V3531-40177	40177	40177	02
Dark Eifel Oak	V3531-40178	40178	40178	08
Grey Eifel Oak	V3531-40179	40179	40179	02
Natural Eifel Oak	V3531-40180	40180	40180	03
Brown Eifel Oak	V3531-40181	40181	40181	06
Beige Irish Oak	V3531-40182	40182	40182	03
Natural Irish Oak	V3531-40183	40183	40183	04
Greige Irish Oak	V3531-40184	40184	40184	04
Beige Norwegian Oak	V3507-40215	40215	40215	03
Grey Norwegian Oak	V3507-40216	40216	40216	03
Dark Norwegian Oak	V3507-40217	40217	40217	–
Greige Forest Oak	V3507-40218	40218	40218	04
Natural Forest Oak	V3507-40219	40219	40219	04
Natural Ardeche Oak	V3507-40220	40220	40220	05
Bright Ardeche Oak	V3507-40221	40221	40221	04
Natural Cabin Oak	V3507-40222	40222	40222	04
Smoked Cabin Oak	V3507-40223	40223	40223	03
Light Cabin Oak	V3507-40224	40224	40224	05
Dark Cabin Oak	V3507-40225	40225	40225	08
Light Lakeland Oak	V3507-40226	40226	40226	02
Grey Lakeland Oak	V3507-40227	40227	40227	–
Dark Lakeland Oak	V3507-40228	40228	40228	08
Grey Alaska Oak	V3507-40229	40229	40229	02
White Alaska Oak	V3507-40230	40230	40230	02
White Alpstone	V3520-40169	40169	40169	01
Black Alpstone	V3520-40170	40170	40170	–
Grey Alpstone	V3520-40171	40171	40171	02
Grey Limestone	V3520-40172	40172	40172	02
Beige Limestone	V3520-40173	40173	40173	01
Dark Grey Limestone	V3520-40174	40174	40174	–

General product info

Rigid Click	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)	PANELS/ PACK	M ² / PACK	KG/ PACK	PACK/ PALLET	M ² / PALLET
Glomma pro	1494	209	5	6	1,873	± 16,5	52	97,421
Namsen pro	1251	189	5	9	2,128	± 18,6	44	93,630
Viskan pro	610	303	5	10	1,848	± 16,2	48	88,718

Features

RIGID CLICK

Protective top layer against scratch, stain and wear
 Installation method
 Water resistant
 Ortho-phthalate free
 Guarantee against water, wear and delamination (residential use)
 Guarantee against water, wear and delamination (commercial use)

Superior Protective top layer
 Uniclic™
 Yes
 Yes
 25 years
 5 years (on request up to 15 years)

Technical

TEST METHOD/STANDARD

RIGID CLICK

Class of use	ISO10582	33
Resistance to furniture leg	EN 424	No damage
Resistance to castor chair	EN 425	No damage
Fire classification	EN 13501-1	Bfl-s1
Thermal resistance (without underlay)	EN 12667	0,025 m² K/W
Thermal resistance (with Pergo Comfort underlay)	EN 12667	0,045 m² K/W
Thermal resistance (with Pergo Heat underlay)	EN 12667	0,035 m² K/W
Thermal resistance (with Pergo Transit underlay)	EN 12667	0,070 m² K/W
Formaldehyde emission	EN 14041	E1
Slip resistance	EN 13893	Class DS
Slip resistance	DIN 51130	R10
Dimensional stability, shrinkage / expansion	ISO 23999	≤ 0,15%
Wear resistance	EN13329 annex E	≥ 2000 cycles



Unilin bv - Division Flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium, Europe, pergo.com

YOU'VE READ ALL ABOUT RIGID CLICK

CLOSE & TURN THIS BROCHURE
TO READ MORE ABOUT FLEX VINYL

PERGO®

YOU'VE READ ALL ABOUT FLEX VINYL

CLOSE & TURN THIS BROCHURE
TO READ MORE ABOUT RIGID CLICK

PERGO®

General product info

Premium									
LENGTH	(MM)	WIDTH	(MM)	THICKNESS	(MM)	PANELS/	PACK	M²/	PACK
							KG/	PACK/	PALLET
									M²/

CLICK	V2131-xxxxx modern plank, 4V	1510	210	4,5	7	2,220	± 19,0	52	106,546
	V2107-xxxxx classic plank, 4V	1251	187	4,5	9	2,105	± 18,0	52	109,483
	V2120-xxxxx tile, 4V	1300	320	4,5	5	2,080	± 17,9	52	108,160

Optimum									
LENGTH	(MM)	WIDTH	(MM)	THICKNESS	(MM)	PANELS/	PACK	M²/	PACK
							KG/	PACK/	PALLET
									M²/

CLICK	V2131-xxxxx modern plank, 4V	1510	210	4,5	7	2,220	± 19,0	48	106,546
	V3107-xxxxx classic plank, 4V	1251	187	4,5	9	2,105	± 18,0	52	109,483
	V3120-xxxxx tile, 4V	1300	320	4,5	5	2,080	± 17,9	52	108,160

GLUE	V231-xxxxx modern plank, 4V	1515	217	2,5	11	3,616	± 18,0	48	173,583
	V3201-xxxxx classic plank, 4V	1256	194	2,5	15	3,655	± 18,2	52	190,058
	V3218-xxxxx tile, 4V	1305	327	2,5	9	3,841	± 19,1	52	199,712

Features									
Superior Protective top layer against scratch, stain and wear									
Installation method									
Water resistant									
Ortho-phthalate free									
Guarantee against water, wear and delamination (residential use)									
Guarantee against water, wear and delamination (commercial use)									
On request (up to 10 yrs)									
On request (up to 15 yrs)									
On request (up to 15 yrs)									

Technical									
TEST METHOD/STANDARD									
PREMIUM CLICK									
OPTIMUM CLICK									
OPTIMUM GLUE									

Class of use	ISO10582 / EN 16511	32	33	33
Resistance to furniture leg	EN 424	No damage	No damage	No damage
Resistance to castor chair	EN 425	No damage	No damage	No damage
Fire classification	EN 13501-1	Bfl-s1	Bfl-s1	Bfl-s1
Thermal resistance (without underlay)	EN 12667	0,020 m² K/W	0,020 m² K/W	0,015 m² K/W
Thermal resistance (with Pergo Comfort underlay)	EN 12667	0,040 m² K/W	0,040 m² K/W	-
Thermal resistance (with Pergo Heat underlay)	EN 12667	0,030 m² K/W	0,030 m² K/W	-
Thermal resistance (with Pergo Transit underlay)	EN 12667	0,065 m² K/W	0,065 m² K/W	-
Formaldehyde emission	EN 14041	E1	E1	E1
Slip resistance	EN 13893	Class DS	Class DS	Class DS
Slip resistance	DIN 51130	R10	R10	R10
Dimensional stability, shrinkage / expansion	ISO 23999	< 10%	< 10%	< 10%
Wear resistance	EN13329 annex E	≥ 1200 cycles	≥ 2000 cycles	≥ 2000 cycles

Colour matching matrix

DECOR	PREMIUM	OPTIMUM	OPTIMUM	5-IN-1 PROFILE	SKIRTING	SEALANT
Ecrú Mansion Oak	V2107-40013	V3107-40013	V3201-40013	40013	40013	40013
Warm Grey Mansion Oak	V2107-40015	V3107-40015	V3201-40015	40015	40015	40015
Modern Grey Oak	V2107-40017	V3107-40017	V3201-40017	40017	40017	40017
Modern Nature Oak	V2107-40018	V3107-40018	V3201-40018	40018	40018	40018
Modern Coffee Oak	V2107-40019	V3107-40019	V3201-40019	40019	40019	40019
Nordic White Oak	V2107-40020	V3107-40020	V3201-40020	40020	40020	40020
Light Nature Oak	V2107-40021	V3107-40021	V3201-40021	40021	40021	40021
Classic Nature Oak	V2107-40023	V3107-40023	V3201-40023	40023	40023	40023
Soft Grey Oak	V2107-40036	V3107-40036	V3201-40036	40036	40036	40036
Grey Heritage Oak	V2107-40037	V3107-40037	V3201-40037	40037	40037	40037
Light Grey Chalet Pine	V2107-40054	V3107-40054	V3201-40054	40054	40054	40054
Grey Chalet Pine	V2107-40055	V3107-40055	V3201-40055	40055	40055	40055
Greige Mountain Oak	V2107-40161	V3107-40161	V3201-40161	40161	40161	40161
Brown Mountain Oak	V2107-40162	V3107-40162	V3201-40162	40162	40162	40162
Light Mountain Oak	V2107-40163	V3107-40163	V3201-40163	40163	40163	40163
Grey Gentle Oak	V2107-40164	V3107-40164	V3201-40164	40164	40164	40164
Grey Scivaro Slate	V2120-40034	V3120-40034	V3218-40034	40034	40034	40034
Black Scivaro Slate	V2120-40035	V3120-40035	V3218-40035	40035	40035	40035
Oxidized Metal Concrete	V2120-40045	V3120-40045	V3218-40045	40045	40045	40045
Cream Travertin	V2120-40046	V3120-40046	V3218-40046	40046	40046	40046
Light Grey Travertin	V2120-40047	V3120-40047	V3218-40047	40047	40047	40047
Light Concrete	V2120-40049	V3120-40049	V3218-40049	40049	40049	40049
Warm Grey Concrete	V2120-40050	V3120-40050	V3218-40050	40050	40050	40050
Dark Grey Concrete	V2120-40051	V3120-40051	V3218-40051	40051	40051	40051
Italian Marble	V2120-40136	V3120-40136	V3218-40136	40136	40136	40136
Grey Soft Concrete	V2120-40139	V3120-40139	V3218-40139	40139	40139	40139
Grey Modern Mineral	V2120-40142	V3120-40142	V3218-40142	40142	40142	40142
Black Modern Mineral	V2120-40143	V3120-40143	V3218-40143	40143	40143	40143
Greige Soft Concrete	V2120-40144	V3120-40144	V3218-40144	40144	40144	40144
Nordic White Pine	V2131-40072	V3131-40072	V3231-40072	40072	40072	40072
Light Washed Oak Plank	V2131-40079	V3131-40079	V3231-40079	40079	40079	40079
Beige Washed Oak	V2131-40080	V3131-40080	V3231-40080	40080	40080	40080
Grey Washed Oak	V2131-40082	V3131-40082	V3231-40082	40082	40082	40082
Grey River Oak	V2131-40084	V3131-40084	V3231-40084	40084	40084	40084
Dark River Oak	V2131-40086	V3131-40086	V3231-40086	40086	40086	40086
Black City Oak	V2131-40091	V3131-40091	V3231-40091	40091	40091	40091
Light Village Oak	V2131-40095	V3131-40095	V3231-40095	40095	40095	40095
Natural Village Oak	V2131-40096	V3131-40096	V3231-40096	40096	40096	40096
British Oak	V2131-40098	V3131-40098	V3231-40098	40098	40098	40098
Light Danish Oak	V2131-40099	V3131-40099	V3231-40099	40099	40099	40099
Light Highland Oak	V2131-40100	V3131-40100	V3231-40100	40100	40100	40100
Natural Highland Oak	V2131-40101	V3131-40101	V3231-40101	40101	40101	40101
Dark Highland Oak	V2131-40102	V3131-40102	V3231-40102	40102	40102	40102
Sand Beach Oak	V2131-40103	V3131-40103	V3231-40103	40103	40103	40103
Seaside Oak	V2131-40107	V3131-40107	V3231-40107	40107	40107	40107



PEFC Certified
PEFC/01-175

This paper is from
sustainably managed
forests. Recycled and
chlorine free.

www.pdf.com

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Contents © 2020 by Unilin bv – Division Flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.



SOUND REDUCTION The soft vinyl floor reduces step noise and provides a quiet and comfortable walking experience.

CASTOR CHAIR The multi-layer build-up of Pergo Vinyl in combination with the properties of the core are designed to withstand damage from castor chairs.

IMPACT RESISTANCE Pergo's Vinyl surface is multi-layer build-up. In combination with the dense core material it gives the floor a very high impact resistance and a low residual indentation, protecting your floor from potential damage.

WEAR PROTECTION The surface of Pergo Vinyl offers a multi-layer protective floor finish. The protective top layer provides scratch, stain and wear resistance and easy maintenance.


EASY INSTALLATION The PerfectFold™ V system makes installation quick and easy. Just click the planks into place using one of the three methods, and you'll be done in no time.

FIRE RESISTANCE Pergo Vinyl floors have a natural high resistance to fire. They are designed to meet all European requirements for installation in escape routes and assembly halls.

WATER RESISTANCE Our Moisture Resistance System combines the waterproof floor with a strong and tight click joint. This gives Pergo Vinyl floors some of the best moisture resistance properties on the market.

HYGIENIC A Pergo Vinyl floor improves hygiene and makes it easier to maintain a clean home. The sealed surface prevents bacteria, and helps reduce the amount of cleaning chemicals you need.

EASY MAINTENANCE The Pergo protective top layer is resistant to dirt and offers you low maintenance and effortless cleaning. The solid design of the click joints also keeps dirt from penetrating the joint.



- 1 Superior Protective top layer for scratch, stain and wear resistance – extra matt for authentic look
- 2 Fine printed vinyl decor layer
- 3 Highly impact resistant vinyl core
- 4 Extra stabilizing layer containing glass fiber
- 5 Highly impact resistant vinyl backing


PERGO VINYL

PerfectFold™ V click system


DIY INSTALLATION

WANT TO INSTALL YOUR FLOOR YOURSELF?

Congrats and have fun! Your floor is just a click away.
Choose the method that works best for
you and we will guide you every step of the way.



Need more information about installation or subfloor preparation? Check the installation
instructions and the step-by-step video! [Scan the code or check pergo.com](https://www.scanthepergo.com)



1

GLUE

PGVGLUE6, 6 kg (+/- 20 m²)
PGVGLUE15, 15 kg (+/- 50 m²)

Professional glue, specially developed for Pergo Vinyl floors. Spreads easily, guarantees fast adhesion and offers the highest strength.

2

MULTIGLUE

PGGLUE290, 290 ml

Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing skirtings. Hybrid polymer. One tube glues 15 running meters of skirting.

3

COLOURED SEALANT

PGKIT(-), 310 ml

For a beautiful finish between skirtings and wall. Available in 8 colours. Water based acrylic. See colour matching matrix on p.30. Never use directly on an Pergo Vinyl floor.

4

AQUA SEALANT

PGKITTRANSF, 310 ml

For invisible and waterproof finishing.

5

TAPE

NETAPE50, 50 m x 5 cm

Self-adhesive aluminium tape to seal seams between strokes of underlays.

6

CONNECTING PLUGS

NEPLUG, 48 pcs

Easily connect your skirtings by using these plugs. For PGVSK(-) skirtings only. 24 corner plugs + 24 straight plugs.

7

RADIATOR CAPS

PGRCINOX15, stainless steel

Inner diameter: 15 mm

Outer diameter: 54 mm

2 pc / pack.

PGRCINOX22, stainless steel

Inner diameter: 22 mm

Outer diameter: 54 mm

2 pc / pack.

8

GLUE TROWEL

PGVA2

Ensures perfect glue consumption per m².

9

INSTALLATION TOOL FLEX VINYL

PGVTOOL

Excellent tool for precise cutting

straight and 90°. Hand protection with pull bar and lever function. Suited for both left and right handed. Use the

PGVTOOL for Flex Vinyl installation.

10

CUTTER KNIFE

PGVKNIFEB, NEVKNIFEREFILL

Professional knife, perfect for precise and stable cutting. Ideal for cutting curves and shapes. 5 blades are included. The refill includes 40 blades.

11

INSTALLATION KIT RIGID VINYL

PGTOOL

Everything you need in one box.

Contains tapping block, installation

spacers in two sizes (2 x 18 = 36 pcs)

and a pull bar. Use the PGTOOL for

Rigid Vinyl installation.

EXTRA SPACERS

PGSPACER, 48 pcs

VINYL FLOOR CLEANING

PGVCLEANING1000, 1000 ml

Protects the protective top layer.

Ideal for removing dirt, grease

spots and heel marks, as well as for

daily cleaning.

13

REPAIR WAX

PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering all Pergo floors. Contains 1 melting knife, 1 comb, 7 wax blocks.

For more information on how to mix

colours please visit pergo.com.

14

CLEANING KIT

PGCLEANINGKIT


High quality mop set with extra

long ergonomic handle and a

mop cloth holder.

INSTALLATION & MAINTENANCE

We've got whatever it takes



SKIRTINGS



Paintable skirting

Waterproof, paintable skirting board to hide expansion joints and protect walls.
Colour: white & paintable
Full PVC skirting for a complete waterproof finish.
Core: PVC
NEVSKRPAINTA, 2000 x 12 x 58 mm



Colour matched skirting

Colour matched: see colour matching matrix for correct article number on page 30.
Surface: wear and scratch-resistant
Core: MDF
Adaptable to 40 mm height. 8 straight and 8 corner connecting plugs included / pack (6 skirtings).
PGVSK(-), 2400 x 12 x 58 mm



Secure the skirting with:

1

HYDROSTRIP

NEHSTRIPSK15, 15 m

Transparent strip on a roll for a waterproof finish of the colour matched skirting.

Want extra waterproof protection?

ONLY FOR
COLOUR
MATCHED
SKIRTING



Combi profile

The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor. Suitable for height differences of 0 – 12,3 mm. Colour: silver Surface: aluminium



1860 x 47 x 16 mm

PGPRSILV

Expansion profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium. Colour: silver



NEVREXPSILV
2000 x 32,5 x 7,5 mm

NEVREXPCOMSILV

Also available in variant with screws and dowels.

Adapter profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium. Colour: silver



NEVRADPSILV
2000 x 31 x 8,5 mm

NEVRADPCOMSILV

Also available in variant with screws and dowels.

End profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium. Colour: silver



NEVERNPSILV
2000 x 24 x 8,5 mm

NEVERNPCOMSILV

Also available in variant with screws and dowels.

Stair nose, click

For installation of Pergo click vinyl on stairs and steps. Always glue the floor panels for your safety! Colour: silver

PGVSTPCLICK
2000 x 29 x 15 mm



Stair nose outer, glue

For installation of Pergo glue vinyl on stairs and steps. Colour: silver

PGVSTPGLU
2000 x 40 x 26 mm



Stair nose inner, glue

For installation of Pergo glue vinyl on stairs and steps. Colour: silver

PGVSTPINGLU
2000 x 25 x 25 mm



PROFILES

COLOUR MATCHED PROFILES


5 applications with 1 profile

Finish off your Pergo floor perfectly. Cut the full profile to your desired shape with the included knife.



FOR MORE INFO ABOUT
INSTALLATION & WARRANTY
VISIT [PERGO.COM](https://www.pergo.com)

VINYL PLANKS & TILES FLEX CLICK & FLEX GLUE



Full profile to be cut

See colour matching matrix for correct article number on page 30.

PGVINCP(-), 2000 x 45 x 8 mm



End profile

To cover the expansion joint between floor and e.g. wall, window or threshold.

PGVINCP(-), 2000 x 19 x 8 mm



Expansion profile

To cover the expansion joint between two floors of the same height.

PGVINCP(-), 2000 x 38 x 8 mm



Adapter profile

To cover the expansion joint between a higher and a lower floor.

PGVINCP(-), 2000 x 45 x 8 mm



Transition profile

To cover the expansion joint between floor and e.g. carpet.

PGVINCP(-), 2000 x 38 x 8 mm



Stair nose

The Incizo® subprofile is required for stair application and has to be ordered separately.

PGVINCP(-), NEVINCPBASE1, 2000 x 38 x 8 mm



PERGO®

UNDERLAYS



Comfort underlay

Good sound reduction.
All-round underlay for every room
with good noise reduction.
15 m² / roll
Thickness: 1,15 mm
PGVUDLCOMFORT15

Heat underlay

Best solution for sound reduction in the
room. It is suitable for rooms with direct
sunlight (large windows) and the best
choice for underfloor heating.
10 m² / roll
Thickness: 1,55 mm
PGVUDLHEAT10

Transit underlay

Best impact sound reduction to
neighbouring rooms, ideal for first
floors and apartments.
15 m² / roll
Thickness: 1,20 mm
PGVUDLTRANSIT15





SOFT GREY OAK, V3107-40036

SEE COLOUR MATCHED
SKIRTING (P.25)

UNDERLAYS
COLOUR MATCHED PROFILES
ALUMINIUM PROFILES
SKIRTINGS
INSTALLATION & MAINTENANCE

PERGO OFFERS

And a beautiful home does not have to be hard-won. Our flooring and accessories are installed within the click of a finger. The click joints on a Pergo floor come together easily. The locking is flawless. So, no need to worry if you want to roll up your sleeves and do it yourself.

The floor of your dreams deserves the perfect finish. You don't go out with mismatched shoes or accessories, do you? That's why Pergo has developed matching skirtings and profiles for each floor in its range. Thanks to our broad range of products, you can take the look of your interior to the next level.

GIVE YOUR INTERIOR
SOME PANACHE

A real & speedy finish

“ Take your floor to the next level.





ONLINE TOOLS LEAD THE WAY

Want a sneak peek of the floor of your dreams in your own home? Or do you want us to select some nice flooring options for you? Happy to help!

VISIT FLOORLAB & FLOORFINDER
ON PERGO.COM

Floorlab



Want to go one step further? In our online Floorlab tool you can **preview the floor of your choice in your own interior**. That way, you can test the real look and feel of your top option. Go see for yourself!

Floorfinder



A wide variety is great and all, but how do you choose the flooring option that is just right for you? With our online **Floorfinder, we help you decide in a few simple steps**, with a clear eye on your personal style and flooring needs.



LIGHT WASHED OAK, V3131-40079


ITALIAN MARBLE, V3120-40136



Tiles on the wall

Who says flooring should stay low to the ground? Our Tile range works wonders glued to your walls as well. Why not go for marble-look tiles in your kitchen or bedroom. The result is quite original.

FOR MORE INFORMATION ABOUT INSTALLATION INSTRUCTIONS VISIT [PERGO.COM](https://www.pergo.com)



SEE DECOR IN INTERIOR ON P.17

Italian Marble *

FLEX CLICK ● V2120-40136
FLEX CLICK ● V3120-40136
FLEX GLUE ● V3218-40136

Grey Soft Concrete *

FLEX CLICK ● V2120-40139
FLEX CLICK ● V3120-40139
FLEX GLUE ● V3218-40139




Greige Soft Concrete *

FLEX CLICK ● V2120-40144
FLEX CLICK ● V3120-40144
FLEX GLUE ● V3218-40144



Grey Modern Mineral

FLEX CLICK ● V2120-40142
FLEX CLICK ● V3120-40142
FLEX GLUE ● V3218-40142



Black Modern Mineral

FLEX CLICK ● V2120-40143
FLEX CLICK ● V3120-40143
FLEX GLUE ● V3218-40143



Tile



Glue: 1305 x 327 mm ± 2,5 mm, 4-way bevel



The Tile collection majors in bold tactility. The V-grooves make for an authentic look, while the version with a finer seam looks sleek and minimalist.

 <p>SEE DECOR IN INTERIOR ON P.3</p>	 <p>SEE DECOR IN INTERIOR ON P.4</p>
<p>FLEX CLICK ● V2120-40049 FLEX CLICK ● V3120-40049 FLEX GLUE ● V3218-40049</p> <p>Cream Travertin</p> <p>FLEX CLICK ● V2120-40046 FLEX CLICK ● V3120-40046 FLEX GLUE ● V3218-40046</p>	<p>FLEX CLICK ● V2120-40050 FLEX CLICK ● V3120-40050 FLEX GLUE ● V3218-40050</p> <p>Warm Grey Concrete</p> <p>FLEX CLICK ● V2120-40051 FLEX CLICK ● V3120-40051 FLEX GLUE ● V3218-40051</p>
	
<p>FLEX CLICK ● V2120-40047 FLEX CLICK ● V3120-40047 FLEX GLUE ● V3218-40047</p> <p>Light Grey Travertin</p> <p>FLEX CLICK ● V2120-40034 FLEX CLICK ● V3120-40034 FLEX GLUE ● V3218-40034</p>	<p>FLEX CLICK ● V2120-40045 FLEX CLICK ● V3120-40045 FLEX GLUE ● V3218-40045</p> <p>Dark Grey Concrete</p> <p>FLEX CLICK ● V2120-40035 FLEX CLICK ● V3120-40035 FLEX GLUE ● V3218-40035</p>
	 <p>SEE DECOR IN INTERIOR ON P.6</p>
<p>FLEX CLICK ● V2120-40035 FLEX CLICK ● V3120-40035 FLEX GLUE ● V3218-40035</p> <p>Black Scivaro Slate</p>	

● PREMIUM ● OPTIMUM

Ecru Mansion Oak
FLEX CLICK ● V2107-40013
FLEX CLICK ● V3107-40013
FLEX GLUE ● V3201-40013



Light Nature Oak
FLEX CLICK ● V2107-40021
FLEX CLICK ● V3107-40021
FLEX GLUE ● V3201-40021



Brown Mountain Oak
FLEX CLICK ● V2107-40162
FLEX CLICK ● V3107-40162
FLEX GLUE ● V3201-40162



Modern Coffee Oak
FLEX CLICK ● V2107-40019
FLEX CLICK ● V3107-40019
FLEX GLUE ● V3201-40019



Warm Grey Mansion Oak
FLEX CLICK ● V2107-40015
FLEX CLICK ● V3107-40015
FLEX GLUE ● V3201-40015



Grey Heritage Oak
FLEX CLICK ● V2107-40037
FLEX CLICK ● V3107-40037
FLEX GLUE ● V3201-40037



Modern Nature Oak
FLEX CLICK ● V2107-40018
FLEX CLICK ● V3107-40018
FLEX GLUE ● V3201-40018



Classic Nature Oak
FLEX CLICK ● V2107-40023
FLEX CLICK ● V3107-40023
FLEX GLUE ● V3201-40023



Greige Mountain Oak
FLEX CLICK ● V2107-40161
FLEX CLICK ● V3107-40161
FLEX GLUE ● V3201-40161



Light Grey Chalet Pine
FLEX CLICK ● V2107-40054
FLEX CLICK ● V3107-40054
FLEX GLUE ● V3201-40054



Grey Gentle Oak
FLEX CLICK ● V2107-40164
FLEX CLICK ● V3107-40164
FLEX GLUE ● V3201-40164



Grey Chalet Pine
FLEX CLICK ● V2107-40055
FLEX CLICK ● V3107-40055
FLEX GLUE ● V3201-40055



Light Mountain Oak
FLEX CLICK ● V2107-40163
FLEX CLICK ● V3107-40163
FLEX GLUE ● V3201-40163



Nordic White Oak
FLEX CLICK ● V2107-40020
FLEX CLICK ● V3107-40020
FLEX GLUE ● V3201-40020



Modern Grey Oak
FLEX CLICK ● V2107-40017
FLEX CLICK ● V3107-40017
FLEX GLUE ● V3201-40017



Soft Grey Oak
FLEX CLICK ● V2107-40036
FLEX CLICK ● V3107-40036
FLEX GLUE ● V3201-40036



PERGO®

VINYL PLANKS & TILES FLEX CLICK & FLEX GLUE



Classic plank



Click: 1251 × 187 mm \pm 4,5 mm, 4-way bevel
PerfectFold™ V click system



Glue: 1256 × 194 mm \pm 2,5 mm, 4-way bevel

The Classic plank is a timeless choice, which fits any room or interior. Designs inspired by nature provide a sense of reality. They range from elegant and subtle to intense and heavy-grained.



PERGO

VINYL PLANKS & TILES FLEX CLICK & FLEX GLUE



LIGHT VILLAGE OAK, V3131-40095

● PREMIUM ● OPTIMUM

Natural Highland Oak
FLEX CLICK ● V2131-40101
FLEX CLICK ● V3131-40101
FLEX GLUE ● V3231-40101



Dark Highland Oak
FLEX CLICK ● V2131-40102
FLEX CLICK ● V3131-40102
FLEX GLUE ● V3231-40102




Dark River Oak
FLEX CLICK ● V2131-40086
FLEX CLICK ● V3131-40086
FLEX GLUE ● V3231-40086



Black City Oak
FLEX CLICK ● V2131-40091
FLEX CLICK ● V3131-40091
FLEX GLUE ● V3231-40091



Sand Beach Oak
FLEX CLICK ● V2131-40103
FLEX CLICK ● V3131-40103
FLEX GLUE ● V3231-40103



Light Highland Oak
FLEX CLICK ● V2131-40100
FLEX CLICK ● V3131-40100
FLEX GLUE ● V3231-40100



Natural Village Oak
FLEX CLICK ● V2131-40096
FLEX CLICK ● V3131-40096
FLEX GLUE ● V3231-40096



British Oak
FLEX CLICK ● V2131-40098
FLEX CLICK ● V3131-40098
FLEX GLUE ● V3231-40098




Light Washed Oak
FLEX CLICK ● V2131-40079
FLEX CLICK ● V3131-40079
FLEX GLUE ● V3231-40079



Light Danish Oak
FLEX CLICK ● V2131-40099
FLEX CLICK ● V3131-40099
FLEX GLUE ● V3231-40099



Light Village Oak
FLEX CLICK ● V2131-40095
FLEX CLICK ● V3131-40095
FLEX GLUE ● V3231-40095



Beige Washed Oak
FLEX CLICK ● V2131-40080
FLEX CLICK ● V3131-40080
FLEX GLUE ● V3231-40080



Nordic White Pine
FLEX CLICK ● V2131-40072
FLEX CLICK ● V3131-40072
FLEX GLUE ● V3231-40072



Grey Washed Oak
FLEX CLICK ● V2131-40082
FLEX CLICK ● V3131-40082
FLEX GLUE ● V3231-40082



Seaside Oak
FLEX CLICK ● V2131-40107
FLEX CLICK ● V3131-40107
FLEX GLUE ● V3231-40107



Grey River Oak
FLEX CLICK ● V2131-40084
FLEX CLICK ● V3131-40084
FLEX GLUE ● V3231-40084



The Modern planks are wide and long and look extra luxurious. For us, the ultimate form of comfort is spaciousness. And that's the feeling you get with Modern planks.

Glue: 1515 x 217 mm \pm 2,5 mm, 4-way bevel



Click: 1510 x 210 mm \pm 4,5 mm, 4-way bevel
PerfectFold™ V click system



Modern plank

SEASIDE OAK, V3231-40107





Collections & dimensions

COMFORT HAS NO SIZE LIMITS

Pergo Vinyl offers endless possibilities. Flex Click and Flex Glue are a wide array of vinyl planks and tiles in different sizes and designs. Each to their own!

“
Timeless, that's what
we go for in each design.”



NORDIC WHITE PINE, V3131-40072



Two quality levels

1. OPTIMUM ●

Very durable floors for use in commercial applications

- Class 33
- Protective scratch, stain & wear resistant top layer
- 25-year guarantee

2. PREMIUM ●

Durable floors for domestic use

- Class 32
- Protective scratch, stain & wear resistant top layer
- 20-year guarantee



OXIDIZED METAL CONCRETE, V3120-40045

“

Your daily dose of realism.



You don't need to walk on eggshells on a Flex Click and Flex Glue vinyl. The flooring is sealed with **special technology**, making it **scratch- and stain-resistant**.



A Flex Click and Flex Glue floor is **thin and beyond comfortable**. It doesn't feel cold or harsh and is a pleasure to walk on. The flexible floor **absorbs sound** and mutes even the most hurried steps.


Installed over Heat underlay Flex Click offers **excellent dimensional stability**, ideal for areas with a varying temperature range. Flex Glue offers the **most stable** floor, the floor doesn't expand or shrink by gluing the floor.



Flex Click is available in two quality levels: Premium and Optimum. Flex Glue is only available in Optimum. Premium floors have a **20-year warranty**, while Optimum floors are **extra durable** and offer a **25-year warranty**.



Waiting is overrated, don't you agree? Flex Click flooring is easy to enjoy, thanks to its **effortless installation**. Minimal preparation, easy-to-cut vinyl with a cutter knife, and a clean result.



Jaw-dropping comfort with Flex Vinyl

AS EASY TO INSTALL
AS IT'S EASY ON THE EYE

With Flex Click and Flex Glue, Pergo has developed a flooring range that is soft, silent and beautiful. The designs mimic wood or concrete perfectly, for your daily dose of realism.





It's easy to maintain and very hygienic. Its thickness makes it a renovation-friendly flooring. As a bonus, the click installation system is easy to master, even in tight spots. And our products are **100% free of ortho-phthalates**, which makes for a healthier home atmosphere.

There are two main categories of Pergo Vinyl: Rigid Vinyl and Flex Vinyl. The Rigid Vinyl range is ultra-strong and ideal to install on irregular

i Eager to learn more about Rigid Click? Then just turn this brochure around and browse further. Check the installation instructions on pergo.com.

surfaces, while Flex Vinyl is extra comfortable and great for smoother surfaces. Flex Vinyl is either installed with a click installation system, named Flex Click. Or glued to the subfloor, which needs to be ultra-smooth, named Flex Glue.

Vinyl just got real

WHAT MAKES OUR VINYL DIFFERENT

If you want a floor that is natural-looking and easy to maintain, Pergo Vinyl is the floor of your dreams. Our R&D team sets the standard, with unique designs that look real.

“
Pergo's vinyl patterns
evoke real natural diversity.”



LIGHT CONCRETE, V3120-40049

We aim for beauty and variety. That's why Pergo floor designs consist of different planks with varying patterns. Nothing is more real than **natural diversity**. But its looks are not the only feature that sets our vinyl apart. Because we know a modern life is also an active one, we fitted our vinyl with a **superior top layer**. This protects your floor against staining, soiling and scratching. Pergo Vinyl is also water resistant down to its core.

BRITISH OAK, V3131-40098



Nordic realness to walk on

OUR STORY

We are a true Scandinavian interior brand.
What does that mean? At Pergo, we focus on design
that breathes reality, is simple and functional.

Pergo is the inventor of **lamine** flooring,
and also develops some of the best **vinyl**
and **wood parquet**. We know how important
home is to you. We aim to make you feel
at ease, in every way. Our floors are for
real people living their life to the fullest!

We strive for quality, no matter what. It's in
the products we make and the decisions
we take. We recycle all our internal waste
and produce using an eco-energetical
method, by reusing rain water and heat.
The result is sustainably made flooring
that can resist the day to day adventures.
Because we know you want to live
a carefree life and live in the moment.

CREAM TRAVERTIN, V3120-40046





SAND BEACH OAK, V3131-40103

SEE COLOUR MATCHED
SKIRTING (P.25)

NEVER ACROSS

Real floors, for people who like to walk a little more on the wild side. As the inventor of laminate flooring, Pergo knows the importance of beautiful, real flooring better than most. We love the thrill of a new challenge. Realness matters to us.

Just like our clients, we're about the real deal. The honest feeling of doing what's right. Like keeping things interesting at home after a long day at work. Just a little jolt that keeps you alive and deep down feels just right!

Our story (3)

What makes our vinyl different (4)

Flex Click & Flex Glue vinyl (6)

Collections & dimensions (8)

Give your interior some panache (20)

DIY installation (28)