

# PERGO®

ORIGINAL LAMINATE  
COLLECTIONS 2025

FOR PARTNERS & PROFESSIONALS





**SUPERIOR DURABILITY**  
For all-round domestic use and medium commercial use. Up to lifetime warranty\*.



**PRO: OUTSTANDING DURABILITY**  
For areas with heavy commercial use. Lifetime warranty\*.



**UPON REQUEST  
PRO X: EXTREME DURABILITY**  
For areas with very heavy commercial use. Lifetime warranty\*.

1. SUPERIOR WEAR AND SCRATCH RESISTANCE LAYER
2. EVERLASTING DECOR
3. HIGH-PERFORMING HDF CORE
4. BACK STABILISER

FEATURES		CLASS 32	CLASS 33	CLASS 34
TITANX™		•	•	•
SCRATCH RESISTANT		•	•	•
AQUASAFE TECHNOLOGY*		•	•	•
PERFECTFOLD™		•	•	•
UNICLIC®		•	•	•
ANTISTATIC		•	•	•
HYGIENIC		•	•	•
WOOD FROM SUSTAINABLY MANAGED FORESTS, PEFC CERTIFIED		•	•	•
ENVIRONMENTAL LABEL NORDIC ECOLABEL AND EU ECOLABEL		•	•	•
RESIDENTIAL WARRANTY**		up to lifetime	lifetime	lifetime

TECHNICALS	STANDARD	CLASS 32	CLASS 33	CLASS 34
CLASS OF USE	EN ISO 10874	32	33	34
FIRE CLASSIFICATION	EN 13501	Cfl-s1	Cfl-s1 (Perstorp Pro Bfl-s1)	Bfl-s1
FORMALDEHYDE EMISSION	EN 717-1	E0,5	E0,5	E0,5
VOC EMISSION	agBB/DIBt	•	•	•
WEAR RESISTANCE	EN 13329	AC4	AC5	AC6
IMPACT RESISTANCE	EN17368 EN13329	small ball: ≥ 35 mm big ball: ≥ 600 mm	small ball: ≥ 70 mm big ball: ≥ 750 mm	small ball: ≥ 120 mm big ball: ≥ 1600 mm
RESISTANCE TO CASTOR CHAIR (WITH UNDERLAY)	EN ISO 4918	no damage	no damage	no damage
SLIP RESISTANCE	EN 13893	class DS	class DS	class DS
THERMAL RESISTANCE	EN 12667	0,05 m <sup>2</sup> K/W 0,06 m <sup>2</sup> K/W <small>(for laminate with thickness 9 and 9,5 mm)</small>	0,05 m <sup>2</sup> K/W 0,06 m <sup>2</sup> K/W <small>(for laminate with thickness 9 and 9,5 mm)</small>	0,06 m <sup>2</sup> K/W
BODY VOLTAGE	EN 1815	≤ 2 kV (antistatic)	≤ 2 kV (antistatic)	≤ 2 kV (antistatic)

**PERGO WARRANTY**

The use of accessories other than genuine Pergo accessories can damage your Pergo floor. In this case, the warranty offered by Pergo will no longer be valid. We advise you to only use Pergo accessories that are specifically designed to use with Pergo floor panels.

\* For full warranty conditions, go to [pergo.com](http://pergo.com).

\*\* If full installation instructions (please see [pergo.com](http://pergo.com)) are not followed, the warranty is void.

## WHY PERGO LAMINATE FLOORS?



### HIGH RESISTANCE TO SCRATCHES AND WEAR

Every plank is covered with our patented TitanX™ protection. This gives the floor high resistance to scratches and wear.



### WATER RESISTANT\* AND EASY TO CLEAN

All our laminate floors have AquaSafe technology, which keeps your floor water resistant and simple to clean. The floors come with a wet warranty up to 15 years\*\*.



### NATURAL LOOK & FEEL

All our laminate floors are incredibly true to nature in their design and structure. Additionally, the floor will maintain its color and will not fade over time.



### EASY TO INSTALL

Just click into place with the glueless PerfectFold™ or Uniclic® click system.



### PERFECT FINISH

From faultless installation, to seamless finishing and worry-free maintenance of your beautiful new floor. Choose from the wide range of accessories.



### UP TO LIFETIME WARRANTY\*\*

All Pergo laminate floors come with an up to lifetime warranty, so that you can live life to the fullest, without worrying.

\* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

\*\* For full warranty conditions, go to [pergo.com](http://pergo.com).



## RESISTANT TO SCRATCHES & WEAR

### TITANX™ - TOUGH PER DEFAULT

Every plank of a Pergo laminate floor is covered with our patented TitanX™ technology, which means it has high resistance to wear and scratches.

This superior toplayer ensures those high traffic areas like kitchens, hallways and living rooms are well protected - and you can let kids do what they do. Be wild.



## AQUASAFE

BECAUSE LIFE'S TOO SHORT  
TO WORRY ABOUT WATER

All Pergo laminate floors have AquaSafe, our in-house developed technology that creates a sealed, watertight\* surface all the way down into the bevels, preventing water from penetrating the floor. It simply stands on the surface and you can easily wipe it away.



\* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.



## NATURAL ON A WHOLE OTHER LEVEL

**SENSATION FLOORS - SEE AND FEEL THE DIFFERENCE**  
With Pergo Sensation laminate, you won't believe it's not real wood. It offers the look of nature with authentic shades and grains, combined with a deep tactile structure and a warm, matte finish.

- Deeper, more authentic structure
- Refined bevels with extra natural look
- Matte finish for a premium feel

Deep, authentic, and tactile structure, finished with a matte surface.




The wood pattern on the floor extends into the bevels, creating a smooth, harmonious look.

# OUR COLLECTIONS


Scandinavian never goes out of style. The same goes for functional design. Our complete range of Pergo laminates delivers just that. Whether you want the high-quality feel of Odense's long planks, the natural look of Arendal or the minimalistic infinite look of Perstorp, there's a floor to fill your every need.

And all of them are designed to be durable and have a completely watertight surface. These are the reasons why Pergo laminate floors have become true representatives of Scandinavian functional design. So your kitchen, hallway, bedroom or living room is a pleasure to come home to. Always.



		SENSATION	AQUASAFE	BEVELS	WET WARRANTY	WARRANTY CLASS 32	WARRANTY CLASS 33
ODENSE	2050 × 240 × 9,5 mm	•	•	4	15 years	lifetime	lifetime
ARENDAL	1380 × 190 × 9 mm	•	•	4	15 years	lifetime	lifetime
VISBY	1380 × 190 × 8 mm	•	•	4	15 years	lifetime	lifetime
STAVANGER	1380 × 278,5 × 8 mm	•	•	4	15 years	lifetime	lifetime
BERGEN	1380 × 156 × 8 mm	•	•	4	15 years	lifetime	lifetime
DRAMMEN	1200 × 190 × 8 mm		•	4	10 years	lifetime	
<b>NEW</b> PERSTORP	1200 × 190 × 8 mm		•	0	10 years	lifetime	lifetime
ESPOO	1200 × 190 × 7 mm		•	0	10 years	20 years	

## DO YOU PREFER A FLOOR WITH OR WITHOUT BEVELS?




### PREMIUM BEVEL

The bevel of the Pergo Sensation laminate floors is our highest-quality bevel, enhancing both the appearance and functionality of the floor, unlike anything you have seen before.

The wood pattern extends down into the bevel, creating a seamless, natural look. The bevel also features a superior coating, providing excellent water resistance.


ODENSE, ARENDAL, VISBY,  
STAVANGER & BERGEN



### OPTICAL BEVEL

The floor collection with an optical bevel create the illusion of a small bevel, an effect that appears either distinct or subtle depending on the viewing angle.

DRAMMEN



### NO BEVEL

The floor collections without a bevel provide a smooth, continuous surface that is easy to clean.

PERSTORP & ESPOO

# ODENSE

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
2050 mm	240 mm	9,5 mm	6	2,952 m <sup>2</sup>	33	97,416 m <sup>2</sup>



CLAY OAK  
 ● PRO L0263-06791  
 ● L0363-06791



OATMEAL OAK  
 ● PRO L0263-06792  
 ● L0363-06792



MALT OAK  
 ● PRO L0263-06793  
 ● L0363-06793



CLOUDED OAK  
 ● PRO L0263-06794  
 ● L0363-06794



CLEAR OAK  
 ● PRO L0263-06795  
 ● L0363-06795



VIBRANT OAK  
 ● PRO L0263-06796  
 ● L0363-06796



DUSK OAK  
 ● PRO L0263-06797  
 ● L0363-06797



FOLK  
 ● PRO L0263-06798  
 ● L0363-06798



GLACIER OAK  
 ● PRO L0263-06799  
 ● L0363-06799



SOLSTICE OAK  
 ● PRO L0263-06800  
 ● L0363-06800



BEAUFORT OAK  
 ● PRO L0263-06801  
 ● L0363-06801



RUSTIC CHARM  
 ● PRO L0263-06802  
 ● L0363-06802



RUSTIC SMOKE  
 ● PRO L0263-06803  
 ● L0363-06803



# ODENSE MATCHING ACCESSORIES



**STANDARD  
SKIRTING**

**PARQUET  
SKIRTING**

**SCOTIA**

**5-IN-1 INCIZO®  
PROFILE**

**COMMERCIAL  
EXPANSION  
PROFILE**

**COLOURED  
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x63-06791	06791	06791	06791	06791	06791	PGKIT18B
L0x63-06792	06792	06792	06792	06792	06792	PGKIT18B
L0x63-06793	06793	06793	06793	06793	06793	PGKIT10B
L0x63-06794	06794	06794	06794	06794	06794	PGKIT02B
L0x63-06795	06795	06795	06795	06795	06795	PBKIT09B
L0x63-06796	06796	06796	06796	06796	06796	PGKIT09B
L0x63-06797	06797	06797	06797	06797	06797	PGKIT04B
L0x63-06798	06796	06796	06796	06796	06796	PGKIT09B
L0x63-06799	06799	06799	06799	06799	06799	PGKIT19B
L0x63-06800	06800	06800	06800	06800	06800	PGKIT09B
L0x63-06801	06801	06801	06801	06801	06801	PGKIT10B
L0x63-06802	06802	06802	06802	06802	06802	PGKIT10B
L0x63-06803	06803	06803	06803	06803	06803	PGKIT17B

**INCIZO® SUBPROFILE** | NEINCPBASE6 | 2150 × 71 × 21 mm  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.

# ARENDAL

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1380 mm	190 mm	9 mm	6	1,573 m <sup>2</sup>	64	100,672 m <sup>2</sup>



NORTH CAPE OAK  
 ● PRO L0239-04289  
 ● L0339-04289



NORDIC SAND OAK  
 ● PRO L0239-04291  
 ● L0339-04291



SKAGEN OAK  
 ● PRO L0239-04293  
 ● L0339-04293



STOCKHOLM OAK  
 ● PRO L0239-04295  
 ● L0339-04295



ISLAND OAK  
 ● PRO L0239-04297  
 ● L0339-04297



TUNDRA OAK  
 ● PRO L0239-04299  
 ● L0339-04299



RIVERSIDE OAK  
 ● PRO L0239-04301  
 ● L0339-04301



GREY BARNHOUSE OAK  
 ● PRO L0239-04303  
 ● L0339-04303



MOORLAND OAK  
 ● PRO L0239-04305  
 ● L0339-04305



BARNHOUSE OAK  
 ● PRO L0239-04307  
 ● L0339-04307




MEADOW OAK  
 ● PRO L0239-04309  
 ● L0339-04309



VINTAGE GREY OAK  
 ● PRO L0239-04311  
 ● L0339-04311



ESTATE OAK  
 ● PRO L0239-04313  
 ● L0339-04313



WEATHERED PINE  
 ● PRO L0239-04315  
 ● L0339-04315



TASMANIAN OAK  
 ● PRO L0239-04317  
 ● L0339-04317



REFINED WALNUT  
 ● PRO L0239-04319  
 ● L0339-04319

# ARENDAL MATCHING ACCESSORIES



**STANDARD  
SKIRTING**

**PARQUET  
SKIRTING**

**SCOTIA**

**5-IN-1 INCIZO®  
PROFILE**

**COMMERCIAL  
EXPANSION  
PROFILE**

**COLOURED  
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x39-04289	04289	04289	04289	04289	04289	PGKIT19B
L0x39-04291	04291	04291	04291	04291	04291	PGKIT18B
L0x39-04293	04293	04293	04293	04293	04293	PGKIT10B
L0x39-04295	04295	04295	04295	04295	04295	PGKIT09B
L0x39-04297	04297	04297	04297	04297	04297	PGKIT02B
L0x39-04299	04299	04299	04299	04299	04299	PGKIT10B
L0x39-04301	04301	04301	04301	04301	04301	PGKIT10B
L0x39-04303	04303	04303	04303	04303	04303	PGKIT19B
L0x39-04305	04305	04305	04305	04305	04305	PGKIT18B
L0x39-04307	04307	04307	04307	04307	04307	PGKIT15B
L0x39-04309	04309	04309	04309	04309	04309	-
L0x39-04311	04311	04311	04311	04311	04311	PGKIT16B
L0x39-04313	04313	04313	04313	04313	04313	PGKIT09B
L0x39-04315	04315	04315	04315	04315	04315	PGKIT12B
L0x39-04317	04317	04317	04317	04317	04317	PGKIT15B
L0x39-04319	04319	04319	04319	04319	04319	PGKIT14B

**INCIZO® SUBPROFILE** | NEINCPBASE9 | 2150 × 71 × 21 mm  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.

# VISBY

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1380 mm	190 mm	8 mm	7	1,835 m <sup>2</sup>	48	88,080 m <sup>2</sup>



LIMED GREY OAK  
 ● PRO L0231-03367  
 ● L0331-03367



URBAN GREY OAK  
 ● PRO L0231-03368  
 ● L0331-03368



NEW ENGLAND OAK  
 ● PRO L0231-03369  
 ● L0331-03369



MANOR OAK  
 ● PRO L0231-03370  
 ● L0331-03370



FARMHOUSE OAK  
 ● PRO L0231-03371  
 ● L0331-03371



MODERN DANISH OAK  
 ● PRO L0231-03372  
 ● L0331-03372



BRUSHED WHITE PINE  
 ● PRO L0231-03373  
 ● L0331-03373



COASTAL OAK  
 ● PRO L0231-03374  
 ● L0331-03374



VILLAGE OAK  
 ● PRO L0231-03375  
 ● L0331-03375



SCRAPED VINTAGE OAK  
 ● PRO L0231-03376  
 ● L0331-03376




FROST WHITE OAK  
 ● PRO L0231-03866  
 ● L0331-03866



STUDIO OAK  
 ● PRO L0231-03867  
 ● L0331-03867



CITY OAK  
 ● PRO L0231-03868  
 ● L0331-03868



BLACK PEPPER OAK  
 ● PRO L0231-03869  
 ● L0331-03869

# VISBY MATCHING ACCESSORIES



**STANDARD  
SKIRTING**

**PARQUET  
SKIRTING**

**SCOTIA**

**5-IN-1 INCIZO®  
PROFILE**

**COMMERCIAL  
EXPANSION  
PROFILE**

**COLOURED  
SEALANT**

**ART. NO  
DIMENSIONS**

PGSK(-)  
2400 × 12 × 58 mm

PGPSK(-)  
2400 × 14 × 77 mm

PGSCOT(-)  
2400 × 17 × 17 mm

PGINCP(-)  
2150 × 13 × 48 mm

PGEXPC(-)  
2350 × 50 × 9,5 mm

PGKIT(-)B  
310 ml

L0x31-03367	03367	03367	03367	03367	03367	PGKIT19B
L0x31-03368	03368	03368	03368	03368	03368	PGKIT03B
L0x31-03369	03369	03369	03369	03369	03369	PGKIT18B
L0x31-03370	03370	03370	03370	03370	03370	PGKIT09B
L0x31-03371	03371	03371	03371	03371	03371	PGKIT15B
L0x31-03372	03372	03372	03372	03372	03372	PGKIT02B
L0x31-03373	03373	03373	03373	03373	03373	PGKIT01B
L0x31-03374	03374	03374	03374	03374	03374	PGKIT02B
L0x31-03375	03375	03375	03375	03375	03375	PGKIT04B
L0x31-03376	03376	03376	03376	03376	03376	PGKIT04B
L0x31-03866	03866	03866	03866	03866	03866	PGKIT01B
L0x31-03867	03867	03867	03867	03867	03867	PGKIT19B
L0x31-03868	03868	03868	03868	03868	03868	PGKIT10B
L0x31-03869	03869	03869	03869	03869	03869	PGKIT12B

**INCIZO® SUBPROFILE** | NEINCPBASE8 | 2150 × 71 × 21 mm  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.

# STAVANGER

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1380 mm	278,5 mm	8 mm	6	2,306 m <sup>2</sup>	48	110,688 m <sup>2</sup>



**BLOSSOM OAK**  
 ● PRO L0245-04994  
 ● L0345-04994



**VALLEY OAK**  
 ● PRO L0245-04995  
 ● L0345-04995



**ABBAY OAK**  
 ● PRO L0245-04996  
 ● L0345-04996



**NORTHERN OAK**  
 ● PRO L0245-04997  
 ● L0345-04997



**SEASALT OAK**  
 ● PRO L0245-04998  
 ● L0345-04998



**VITALETA OAK**  
 ● PRO L0245-04999  
 ● L0345-04999



**BORGIO OAK**  
 ● PRO L0245-05000  
 ● L0345-05000



**PORT OAK**  
 ● PRO L0245-05002  
 ● L0345-05002



**WILDWOOD OAK**  
 ● PRO L0245-05003  
 ● L0345-05003



**RIVER ROCK OAK**  
 ● PRO L0245-05004  
 ● L0345-05004



**MOUNTAIN CABIN OAK**  
 ● PRO L0245-05005  
 ● L0345-05005



**ATELIER OAK**  
 ● PRO L0245-05006  
 ● L0345-05006

# STAVANGER MATCHING ACCESSORIES



**STANDARD  
SKIRTING**

**PARQUET  
SKIRTING**

**SCOTIA**

**5-IN-1 INCIZO®  
PROFILE**

**COMMERCIAL  
EXPANSION  
PROFILE**

**COLOURED  
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x45-04994	04994	04994	04994	04994	04994	PGKIT15B
L0x45-04995	04995	04995	04995	04995	04995	PGKIT10B
L0x45-04996	04996	04996	04996	04996	04996	PGKIT18B
L0x45-04997	04997	04997	04997	04997	04997	PGKIT16B
L0x45-04998	04998	04998	04998	04998	04998	PGKIT19B
L0x45-04999	04999	04999	04999	04999	04999	PGKIT16B
L0x45-05000	05000	05000	05000	05000	05000	PGKIT04B
L0x45-05002	05002	05002	05002	05002	05002	PGKIT02B
L0x45-05003	05003	05003	05003	05003	05003	PGKIT09B
L0x45-05004	05004	05004	05004	05004	05004	PGKIT17B
L0x45-05005	05005	05005	05005	05005	05005	PGKIT15B
L0x45-05006	05006	05006	05006	05006	05006	PGKIT09B

**INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.

# BERGEN

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1380 mm	156 mm	8 mm	8	1,722 m <sup>2</sup>	60	103,320 m <sup>2</sup>



COMFORT GREY OAK  
 ● PRO L0246-05007  
 ● L0346-05007



RAILWAY OAK  
 ● PRO L0246-05008  
 ● L0346-05008



COLOGNE OAK  
 ● PRO L0246-05009  
 ● L0346-05009



PIER OAK  
 ● PRO L0246-05010  
 ● L0346-05010



VIENNA OAK  
 ● PRO L0246-05011  
 ● L0346-05011



PORTMAN WALNUT  
 ● PRO L0246-05012  
 ● L0346-05012



RED CLAY TEAK  
 ● PRO L0246-05021  
 ● L0346-05021



TROMSDALEN OAK  
 ● PRO L0246-05022  
 ● L0346-05022



# BERGEN MATCHING ACCESSORIES



**STANDARD  
SKIRTING**

**PARQUET  
SKIRTING**

**SCOTIA**

**5-IN-1 INCIZO®  
PROFILE**

**COMMERCIAL  
EXPANSION  
PROFILE**

**COLOURED  
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x46-05007	05007	05007	05007	05007	05007	PGKIT16B
L0x46-05008	05008	05008	05008	05008	05008	PGKIT10B
L0x46-05009	05009	05009	05009	05009	05009	PGKIT04B
L0x46-05010	05010	05010	05010	05010	05010	PGKIT09B
L0x46-05011	05011	05011	05011	05011	05011	PGKIT09B
L0x46-05012	05012	05012	05012	05012	05012	PGKIT15B
L0x46-05021	05021	05021	05021	05021	05021	PGKIT14B
L0x46-05022	05022	05022	05022	05022	05022	PGKIT02B

**INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.

# DRAMMEN

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1200 mm	190 mm	8 mm	7	1,596 m <sup>2</sup>	64	102,144 m <sup>2</sup>



BROWN LEATHERED OAK  
● L0348-05013



SANDWAVE OAK  
● L0348-05014



WHITE GLOOM OAK  
● L0348-05015



ISLA OAK  
● L0348-05016



RICARD OAK  
● L0348-05017



CAPPUCCINO OAK  
● L0348-05018



CORNWALL OAK  
● L0348-05019



DARTMOOR OAK  
● L0348-05020

# DRAMMEN MATCHING ACCESSORIES



**STANDARD  
SKIRTING**

**PARQUET  
SKIRTING**

**SCOTIA**

**5-IN-1 INCIZO®  
PROFILE**

**COMMERCIAL  
EXPANSION  
PROFILE**

**COLOURED  
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0348-05013	05013	05013	05013	05013	05013	PGKIT17B
L0348-05014	05014	05014	05014	05014	05014	PGKIT09B
L0348-05015	05015	05015	05015	05015	05015	PGKIT01B
L0348-05016	05016	05016	05016	05016	05016	PGKIT18B
L0348-05017	05017	05017	05017	05017	05017	PGKIT10B
L0348-05018	05018	05018	05018	05018	05018	PGKIT04B
L0348-05019	05019	05019	05019	05019	05019	PGKIT10B
L0348-05020	05020	05020	05020	05020	05020	PGKIT16B

**INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.

**NEW**  
**PERSTORP**

NO BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1200 mm	190 mm	8 mm	7	1,596 m <sup>2</sup>	48	76,608 m <sup>2</sup>



NATURAL OAK  
 ● PRO L0270-01804  
 ● L0370-01804



NATURAL HONEY OAK  
 ● L0370-04085



BEIGE SAND OAK  
 ● PRO L0270-04093  
 ● L0370-04093



NATURAL BEIGE OAK  
 ● L0370-04390



WARM NATURAL OAK  
 ● PRO L0270-04394  
 ● L0370-04394



VINEYARD OAK  
 ● L0347-05023

# PERSTORP MATCHING ACCESSORIES



**STANDARD  
SKIRTING**

**PARQUET  
SKIRTING**

**SCOTIA**

**5-IN-1 INCIZO®  
PROFILE**

**COMMERCIAL  
EXPANSION  
PROFILE**

**COLOURED  
SEALANT**

<b>ART. NO DIMENSIONS</b>	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x70-01804	01731	01731	01731	01731	01731	PGKIT04B
L0370-04085	04085	04085	04085	04085	04085	PGKIT10B
L0x70-04093	04093	04093	04093	04093	04093	PGKIT02B
L0370-04390	04390	04390	04390	04390	04390	PGKIT10B
L0x70-04394	04394	04394	04394	04394	04394	PGKIT09B
L0347-05023	05023	05023	05023	05023	05023	PGKIT09B

**INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application and has to be ordered separately.

# ESPOO

NO BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1200 mm	190 mm	7 mm	8	1,824 m <sup>2</sup>	64	116,736 m <sup>2</sup>



RIVER OAK  
● L0364-04389



NATURAL BEIGE OAK  
● L0364-04390



WARM NATURAL OAK  
● L0364-04394



WATERFRONT OAK  
● L0364-04395

# ESPOO MATCHING ACCESSORIES



**STANDARD  
SKIRTING**

**PARQUET  
SKIRTING**

**SCOTIA**

**5-IN-1 INCIZO®  
PROFILE**

**COMMERCIAL  
EXPANSION  
PROFILE**

**COLOURED  
SEALANT**

**ART. NO  
DIMENSIONS**

PGSK(-)  
2400 × 12 × 58 mm

PGPSK(-)  
2400 × 14 × 77 mm

PGSCOT(-)  
2400 × 17 × 17 mm

PGINCP(-)  
2150 × 13 × 48 mm

PGEXPC(-)  
2350 × 50 × 9,5 mm

PGKIT(-)B  
310 ml

L0364-04389

04389

04389

04389

04389

04389

PGKIT18B

L0364-04390

04390

04390

04390

04390

04390

PGKIT10B

L0364-04394

04394

04394

04394

04394

04394

PGKIT09B

L0364-04395

04395

04395

04395

04395

04395

PGKIT16B

**INCIZO® SUBPROFILE** | NEINCPBASE1 | 2150 × 71 × 21 mm  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.



## YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

### 1. UNDERLAYS

Make a great floor greater. Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises, support the click system and protect floors from rising moisture and rising damp. They can be combined with underfloor heating or cooling too.

### 2. SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white shapes.

### 3. PROFILES

Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile.







### ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A laminate floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.



# INSTALLATION







## UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	<b>FOAM UNDERLAY</b> for wood subfloors  PGUDLFOAM15B 15 m <sup>2</sup> / roll	15800	950	2	1	195	195	950	24
	<b>SMART UNDERLAY</b> for wood subfloors  PGUDLSMART15 15 m <sup>2</sup> / pack	15000	1000	3	1	1000	250	180	18
	<b>FOAM+ UNDERLAY</b> for concrete subfloors  PGUDLFOAMPLUS15 15 m <sup>2</sup> / roll	15960	940	2	1	210	210	940	20
	<b>SMART+ UNDERLAY</b> for concrete subfloors  PGUDLSMARTPLUS15 15 m <sup>2</sup> / pack	15000	1000	3	1	1000	250	180	18
	 <b>SILENT WALK UNDERLAY</b> for wood & concrete subfloors  PGUDLSW7 7 m <sup>2</sup> / roll	7000	1000	2	1	190	190	1000	40

\* Cradle to Cradle Certified® products are awarded certification based upon their performance across five critical areas of sustainability: Material health, Product Circularity, Clean Air & Climate Protection, Water & Soil Stewardship and Social Fairness.




# INSTALLATION

## UNDERLAYS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PE FILM</b> NEUDLSCREEN34 33,75 m<sup>2</sup> / roll</p>	1350	150	0,2	1	150	250	2700	60
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X300 100 × 300 cm</p>	3000	1000	0,35	1	1040	125	125	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X500 100 × 500 cm</p>	5000	1000	0,35	1	1040	125	125	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X700 100 × 700 cm</p>	7000	1000	0,35	1	1040	125	125	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X300 120 × 300 cm</p>	3000	1200	0,35	1	1240	130	130	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X500 120 × 500 cm</p>	5000	1200	0,35	1	1240	130	130	114


# INSTALLATION

## UNDERLAYS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X700 120 × 700 cm</p>	7000	1200	0,35	1	1240	130	130	114
 <p><b>QUICKHEAT INSULATION PLATES</b> NEUDLQHPLATE 120 × 50 cm 1 pc: 10 plates</p>	1200	500	7	1	1200	500	70	30
 <p><b>QUICKHEAT CONTROLLER KIT WIRELESS</b> NEQHKITWIFI</p>	120	100	35	1	165	55	190	40
<p><b>QUICKHEAT EXTENSION CABLE</b></p> <p>NEQHEXTCAB100 1 m</p> <p>NEQHEXTCAB300 3 m</p>	1000	170	15	1	315	190	20	75
	3000	170	15	1	315	190	20	75





## COMMERCIAL UNDERLAYS

The best underlay for eliminating impact sound.  
Vapour barrier with an overlap and tape strip included.

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PROFESSIONAL SOUNDBLOC</b></p> <p>PGUDLPS15 15 m<sup>2</sup> / roll</p> <p>PGUDLPS50 50 m<sup>2</sup> / roll</p>	15790	950	2	1	240	240	940	20
	52640	940	2	1	420	420	940	6







# INSTALLATION

## INSTALLATION TOOLS

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>ADHESIVE TAPE</b> NETAPE50</p>	5000	50	0,5	96	310	290	290	960
 <p><b>INSTALLATION SET</b> PGTOOLA</p>	395	100	47	10	415	330	120	48
<b>COMMERCIAL INSTALLATION TOOLS</b>								
	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PROFESSIONAL PULLBAR</b> PGWPULLBAR Professional and silent pullbar thanks to the rubber shock absorber on the contact surface.</p>	700	280	230	1	575	375	140	120
 <p><b>PROFESSIONAL TAPPING BLOCK</b> PGWTAPPINGBLOCK Professional tapping block that distributes the tapping force equally to protect your plank.</p>	520	110	62	10	200	200	60	480



# FINISHING

## SKIRTINGS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>COLOUR MATCHED STANDARD SKIRTING</b></p> <p>PGSK(-) 2400 × 12 × 58 mm</p>	2400	12	58	6	2410	65	61	720
 <p><b>COLOUR MATCHED PARQUET SKIRTING</b></p> <p>PGPSK(-) 2400 × 14 × 77 mm</p>	2400	14	77	6	2410	84	77	432
 <p><b>COLOUR MATCHED SCOTIA</b></p> <p>PGSCOT(-) 2400 × 17 × 17 mm</p>	2400	17	17	6	2440	54	54	918
 <p><b>PAINTABLE STANDARD SKIRTING</b></p> <p>PGSKPAINTA 2400 × 12 × 58 mm</p>	2400	12	58	6	2405	60	65	720
 <p><b>PAINTABLE PARQUET SKIRTING</b></p> <p>PGPSKPAINTA 2400 × 14 × 77 mm</p>	2400	14	77	6	2405	89	79	432
 <p><b>PAINTABLE SCOTIA</b></p> <p>PGSCOTPAINTA 2400 × 17 × 17 mm</p>	2400	17	17	6	2440	54	54	894




# FINISHING

## SKIRTINGS


	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PAINTABLE COVER SKIRTING</b></p> <p>PGISKRCOVER 2400 × 16 × 129 mm</p>	2400	16	129	6	2410	146	48	264
 <p><b>PAINTABLE WATERPROOF MEDIUM SKIRTING</b></p> <p>PGHSK58PAINT 2400 × 13 × 58 mm</p>	2400	13	58	6	2410	78	58	540
 <p><b>PAINTABLE WATERPROOF LARGE SKIRTING</b></p> <p>PGHSK80PAINT 2400 × 15 × 80 mm</p>	2400	15	80	6	2400	80	90	420
 <p><b>CLICKABLE WHITE SMALL SKIRTING</b></p> <p>SFSKCLICKWHITE126 1260 × 12 × 50 mm</p> <p>SFSKCLICKWHITE240 2400 × 12 × 50 mm</p>	1260	12	50	6	1291	73	57	360
	2400	12	50	6	2431	73	57	360
 <p><b>CLICKABLE PAINT SMALL SKIRTING</b></p> <p>SFSKCLICKPAINT126 1260 × 12 × 50 mm</p> <p>SFSKCLICKPAINT240 2400 × 12 × 50 mm</p>	1260	12	50	6	1291	73	57	360
	2400	12	50	6	2431	73	57	360
 <p><b>CLICKABLE WHITE MEDIUM SKIRTING</b></p> <p>SFPSKCLICKWHITE126 1260 × 12 × 70 mm</p> <p>SFPSKCLICKWHITE240 2400 × 12 × 70 mm</p>	1260	12	70	6	1291	72	89	288
	2400	12	70	6	2431	72	89	288

# FINISHING

## SKIRTINGS




	PIECE			PACK			PALLET		
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet	
	<b>CLICKABLE PAINT MEDIUM SKIRTING</b>								
	SFPSCLICKPAINT126 1260 × 12 × 70 mm	1260	12	70	6	1291	72	89	288
	SFPSCLICKPAINT240 1260 × 12 × 70 mm	2400	12	70	6	2431	72	89	288
	<b>CLICKABLE WHITE LARGE SKIRTING</b>								
	SFTSKCLICKWHITE126 1260 × 14 × 100 mm	1260	14	100	6	1291	79	107	252
	SFTSKCLICKWHITE240 2400 × 14 × 100 mm	2400	14	100	6	2431	79	107	252
	<b>CLICKABLE PAINT LARGE SKIRTING</b>								
	SFTSKCLICKPAINT126 1260 × 14 × 100 mm	1260	14	100	6	1291	79	107	252
	SFTSKCLICKPAINT240 2400 × 14 × 100 mm	2400	14	100	6	2431	79	107	252

## INSTALLATION TOOLS FOR SKIRTINGS

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	<b>MULTIGLUE</b>							
	PGGLUE290 290 ml	50	50	230	12	213	160	240

# FINISHING







## PROFILES

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>INCIZO® PROFILE</b> PGINCP(-) 2150 x 13 x 48 mm</p>	2150	48	13	1	2250	69	27	266
 <p><b>INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS</b> NEINCPBASE1 (7 mm floors) NEINCPBASE2 (8 mm floors) NEINCPBASE6 (9,5 mm floors) NEINCPBASE8 (8 mm floors) NEINCPBASE9 (9 mm floors) NEINCPBASE11 (9 mm floors)</p>	2150	71	21	1	2160	74	22	234
 <p><b>MULTIFUNCTIONAL PROFILE SILVER</b> PGPRSILV 1860 x 47 x 16 mm</p>	1860	47	16	1	1860	60	16	340









# FINISHING

## METAL PROFILES

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>ADAPTER PROFILE BLACK</b> SFADPBLACK 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p><b>ADAPTER PROFILE SILVER</b> SFADPSILV 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p><b>ADAPTER PROFILE CHAMPAGNE</b> SFADPCHAM 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p><b>ADAPTER PROFILE COFFEE</b> SFADPCOFF 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p><b>ADAPTER PROFILE CLAY</b> SFADPCLAY 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p><b>EXPANSION PROFILE BLACK</b> SFEXPBLACK 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400




# FINISHING

## METAL PROFILES


	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>EXPANSION PROFILE SILVER</b> SFEXPSILV 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400
 <p><b>EXPANSION PROFILE CHAMPAGNE</b> SFEXPCHAM 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400
 <p><b>EXPANSION PROFILE COFFEE</b> SFEXPCOFF 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400
 <p><b>EXPANSION PROFILE CLAY</b> SFEXPCLAY 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400
 <p><b>END PROFILE BLACK</b> SFENPBLACK 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400
 <p><b>END PROFILE SILVER</b> SFENPSILV 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400

# FINISHING

## METAL PROFILES

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>END PROFILE CHAMPAGNE</b> SFENPCHAM 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400
 <p><b>END PROFILE COFFEE</b> SFENPCOFF 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400
 <p><b>END PROFILE CLAY</b> SFENPCLAY 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400

## COMMERCIAL PROFILES

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>COMMERCIAL EXPANSION PROFILE COLOUR MATCHED</b> PGEXPC(-) From laminate to laminate. Easy installation with snap-in function. Min. order quantity 30 pcs, order per 5 pcs</p>	2350	50	9,5	5	2365	80	70	225

# FINISHING

## FINISHING TOOLS



### COLOURED SEALANT

	PIECE			pc / pack	PACK			PALLET pc / pallet
	length mm	width mm	height mm		length mm	width mm	height mm	
PGKIT(-)B 310 ml	50	50	230	12	213	160	240	1200



### SAFESSEAL

PGSEAL500 500 ml	240	65	65	6	195	130	245	1080
---------------------	-----	----	----	---	-----	-----	-----	------



### PIPE COVERS

PGPCINOX18 18 mm   1 pc: 2 pipe covers	75	20	140	15	240	165	130	510
PGPCINOX22 22 mm   1 pc: 2 pipe covers	75	20	140	15	240	165	130	510

## TOOLS FOR A WATERTIGHT FINISH



### FOAMSTRIP

NEFOAMSTRIP20 20 x 1 m x Ø 10 mm	300	310	75	1	300	310	75	125
-------------------------------------	-----	-----	----	---	-----	-----	----	-----



### AQUA SEALANT






PGKITTRANSP 310 ml	50	50	230	12	213	160	240	1200
-----------------------	----	----	-----	----	-----	-----	-----	------



### HYDROSTRIP FOR SKIRTINGS

NEHSTRIPSK15 (for standard skirtings)	15000	5	5	18	793	268	332	216
NEHSTRIPSCOTPSK15 (for scotia & parquet skirtings) 15 m	15000	8	5	18	793	268	332	216

# MAINTENANCE

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>FLOOR CLEANER 1 L</b> PGCLEANECO1000</p>	90	76	270	6	280	165	290	342
 <p><b>SPOT CLEANER 250 ML</b> PGSPOTCLEAN</p>	50	50	200	20	260	210	210	1200
 <p><b>CLEANING KIT</b> PGSPRAYKIT</p>	665	170	105	4	685	350	225	48
 <p><b>CLEANING MOP</b> PGSPRAYMOP</p>	430	145	8	6	430	152	70	804
 <p><b>REPAIR KIT</b> PGREPAIR</p>	290	125	28	12	370	250	150	648



# HOPEFULLY, WE WON'T SEE YOU AGAIN FOR A LIFETIME

It's not that we don't love or appreciate you, as we very much do. It's just that for greater sustainability, we all need to buy less and demand more of the products we use. Our floors are crafted to endure – from the moment they're installed into your home, for a lifetime.

## BUY FOR A LIFETIME

We are so confident in the durability of our floors that they come with a lifetime warranty\*. Which is good for both you and the environment.

## CHOOSE ECO-CERTIFIED

All our laminate floors are certified with the prestigious EU Ecolabel and Nordic Swan Ecolabel. Actually, we were the first ever to be awarded the latter for a floor – all the way back in 1995.

## JOIN OUR LOVE OF WASTE

We make the core of our laminate floor out of recovered wood.



Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).





## WE PUT WASTE IN OUR FLOORS

### WE PUT WASTE IN OUR FLOORS

We really, really dislike wasting resources, which is why the HDF (High Density Fibreboard) in your breathtakingly beautiful Pergo laminate floors are made from recovered wood. A waste product we get from sawmills, roadside maintenance, and similar sources. What would otherwise just be thrown away or incinerated. Which we find kind of ... not good. So, we use it, and you're walking on it.

### TOUGH FLOORS FOR ROUGH PLAY

Pergo laminate floors are designed for a lifetime of use – and are literally ready for whatever life, or the kids, throws at them. We make our floors tough and hardwearing for two reasons. First, we don't want you to have to worry about your floor keeping up with you and your family. Secondly, products with an extended lifespan have a reduced impact on our planet's resources.

### LIFETIME WARRANTY\*

As if the incredible durability of a Pergo floor wouldn't be enough – each floor also comes with a lifetime warranty. Yes, that's quite amazing. We want you to rest assured that your Pergo floor will stand by you, no matter what life brings. While also reducing our environmental footprint, as the floor's lifespan extends way beyond the ordinary. Directly contributing to less consumption and waste and paving the way to a more sustainable future.



\* For full information about warranties, please visit [pergo.com](http://pergo.com).



3029 0001



# PERGO®

Floors for real life

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023-2024 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit [pergo.com](http://pergo.com).

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium

a brand of  UNILIN